
**NARROMINE SHIRE COUNCIL
ORDINARY MEETING BUSINESS PAPER – 13 APRIL 2022
REPORTS TO COUNCIL – INFRASTRUCTURE AND ENGINEERING SERVICES**

1. WORKS REPORT

Author	Director Infrastructure and Engineering Services
Responsible Officer	Director Infrastructure and Engineering Services
Link to Strategic Plans	CSP – 4.3.4 Ensure Council's property assets are monitored and well managed

Executive Summary

This report provides information regarding works undertaken for the given period in regards to both operational and capital works.

Report

The Works Report (**Attachment No. 1**) for the period 3 March 2022 to 30 March 2022 is presented to Council for information.

Financial Implications

Council has provision for these services in its Operational Budget.

Legal and Regulatory Compliance

Local Government Act 1993
Roads Act 1993

Risk Management Issues

Nil

Internal/External Consultation

Nil

Attachments

1. Works Report

RECOMMENDATION

That the information be noted.

2. REVISED LIQUID TRADE WASTE POLICY

Author	Manager Utilities
Responsible Officer	Director Infrastructure and Engineering Services
Link to Strategic Plans	CSP – 4.3.4 Ensure Council's property assets are monitored and well managed

Executive Summary

This report presents Council with the revised Liquid Trade Waste Policy for consideration and endorsement for public exhibition.

Report

In 2021 the then Department of Planning Industry and Environment (DPIE- Water) now DPE -Water released new Liquid Trade Waste Management Regulation/Guidelines for Councils in Regional NSW. This new guideline has prompted the need for Council to review its Liquid Trade Waste (LTW) Policy. The LTW policy has been redrafted in line with the requirements of the 2021 Guidelines and submitted to DPE for concurrence to place on public exhibition.

Concurrence has now been received and the Draft revised LTW policy is presented to Council for endorsement for public exhibition.

Following public exhibition, the draft LTW policy will be presented to Council for consideration of written submissions, final adoption by Council and Consent from DPE-Water

Financial Implications

This policy generates revenue from Trade Waste Activities

Legal and Regulatory Compliance

NSW Protection of the Environment Operations Act 1997
Local Government Act 1993
NSW Local Government (General) Regulation 2021
DPIE-Water - Liquid Trade Waste Management Guidelines for Councils in Regional NSW 2021

Risk Management Issues

The LTW policy provides the framework for management of the risks associated with receiving liquid trade waste into Council's Sewerage Systems.

Internal/External Consultation

DPE -Water

2. REVISED LIQUID TRADE WASTE POLICY (Cont'd)

Attachments

Attachment No 2 - Draft 2022 Liquid Trade Waste Policy

RECOMMENDATION

That Council endorse the Draft 2022 Liquid Trade Waste Policy to be placed on public exhibition for a period of 28 Days.

3. WATER PRICING

Author	Manager Utilities
Responsible Officer	Director Infrastructure and Engineering Services
Link to Strategic Plans	CSP – 4.3.4 Ensure Council's property assets are monitored and well managed

Executive Summary

The purpose of this report is for Council to consider a proposed increase in the water access and consumption charges for the Narromine LGA for 2022/23.

Report

It is proposed to increase the water consumption charges to enable cost recovery for the supply of treated untreated filtered water within the Narromine LGA. This increase may act as a deterrent to excessive water users to continue conserving water.

With ongoing legislative requirements to produce and distribute safe drinking water, there is a subsequent increase in operational and maintenance costs on an ongoing basis. Some infrastructure is nearing its end of useful life and requires major investment for renewals or refurbishment. Whilst Council has successfully increased water tariffs over recent years, the current charges still do not recover adequate funds to meet the ongoing requirement in maintaining the treatment and supply of treated water in a sustainable manner.

Despite the ending of the drought, aquifer levels have not improved and continue to decline. Only one of the five shallow bores in Narromine remains in service and water from our deeper supply bores have seen major changes in the chemical composition of the quality.

Due to the change in the chemical nature of the water quality of the deep bores, the requirement to operate the temporary treatment plant continually has increased to at least 1 megalitre per day with a maximum plant throughput of 2.5 megalitres per day.

NARROMINE SHIRE COUNCIL
ORDINARY MEETING BUSINESS PAPER – 13 APRIL 2022
REPORTS TO COUNCIL – INFRASTRUCTURE AND ENGINEERING SERVICES

3. WATER PRICING (Cont'd)

These factors combined with recent increases in chemical, energy, material and supply chain costs have seen overall water operations and maintenance costs increase at an almost exponential rate.

Access Charges have also lagged behind in recent years and are not keeping pace with increased costs hence not meeting best practice in terms of water pricing.

It is therefore recommended that the following water access charges and consumption fees be considered for the 2022/23 financial year to meet ongoing obligations to supply water that meets the NSW Health Regulations:

Recommended Water Access Charges

Size	Locality	Old Charge	New Charge	% Change	\$ Increase
20mm	Narromine, Trangie and Rural	\$255.00	\$285.00	12%	\$30.60
25mm	Narromine, Trangie and Rural	\$395.00	\$442.00	12%	\$47.40
32mm	Narromine, Trangie and Rural	\$645.00	\$722.40	12%	\$77.40
40mm	Narromine, Trangie and Rural	\$1005.00	\$1125.60	12%	\$120.60
50mm	Narromine, Trangie and Rural	\$1555.00	\$1741.60	12%	\$186.60
100mm	Narromine, Trangie and Rural	\$6245.00	\$6994.40	12%	\$749.00
20mm	Tomingley	\$250.00	\$280.00	12%	\$30.00
25mm	Tomingley	\$386.00	\$432.32	12%	\$46.32
32mm	Tomingley	\$630.00	\$705.00	12%	\$75.60
40mm	Tomingley	\$980.00	\$1097.40	12%	\$117.60
50mm	Tomingley	\$1520.00	\$1702.40	12%	\$182.40
100mm	Tomingley	\$6095.00	\$6826.40	12%	\$731.40
	Access Charge for Bulk Users (Community Groups/Organisations only – approved on a case by case basis)	50% of Access Charges			

Recommended Water Consumption Charges

Locality	Old Charge	New Charge	% Change	\$ Increase
Narromine and Trangie Non-Residential /kL	\$1.91	\$2.20	15.18	\$0.29
Narromine and Trangie Residential /kL	\$1.85	\$2.10	13.51	\$0.25
Tomingley filtered Non- Drinking Water / k L	\$1.62	\$1.80	11.11	\$0.18
Bulk Water Supply (Per Megalitre)	\$477.00	\$501.00	5.03	\$24.00
Council Standpipes				
Potable Drinking Water /kL	\$3.20	\$3.25	2.5	\$0.05
Raw Water/kL	No longer available			

NARROMINE SHIRE COUNCIL
ORDINARY MEETING BUSINESS PAPER – 13 APRIL 2022
REPORTS TO COUNCIL – INFRASTRUCTURE AND ENGINEERING SERVICES

3. WATER PRICING (Cont'd)

A comparison was done where access and consumption charges were compared with other surrounding Councils 20/21 charges. That comparison revealed that Narromine Shire Council is charging considerably less than most neighbouring Councils in the region.

Council has an obligation to implement full cost recovery pricing which is a requirement of the NSW government via DPE-Water Best Practice Pricing Guidelines. It is important to comply with these guidelines to be eligible for ongoing funding via the Safe and Secure grant program for new and upgraded infrastructure.

Financial Implications

If an increase does not occur Council's water business could be regarded as unsustainable. Current validated performance monitoring data from DPE Water shows that Council is negative -0.92% in relation to the Real Rate of Economic Return in relation to its water supply business. This is depicted in the chart below which although an improvement on last year of 0.53% from -1.45 % still falls below the line of sustainability for a water business of comparable size.




Figure 1: DPE Water Performance Chart Depicting Real Rate of Economic Return for medium sized water businesses 2020-2021 Reporting Year

3. WATER PRICING (Cont'd)

Legal and Regulatory Compliance

Local Government Act 1993
DPE-Water Best Practice Pricing Guidelines

Risk Management Issues

Unsustainable water business if water prices are not increased.

Internal/External Consultation

Public exhibition and consultation as part of the Integrated Planning and Reporting process.

Attachments


Nil

RECOMMENDATION

That the proposed water consumption and access fees as presented to Council be incorporated into the draft Integrated Planning and Reporting documents.

André Pretorius
Director Infrastructure and Engineering Services


Attachment No. 1

 <p>Narromine SHIRE COUNCIL</p>	<p>MONTHLY WORKS REPORT</p> <p>Wednesday, 30 March 2022</p>	<p>Infrastructure and Engineering Services Narromine Shire Council Tel: 02 6889 9999 Fax: 02 6889 9998 mail@narromine.nsw.gov.au</p>
---	---	---

*Road and Park users are to proceed with caution at all work sites and observe work signs to ensure safety.
Speed zones are enforceable with possible short delays.
For all enquiries, please contact Council's Infrastructure and Engineering Services Department on 6889 9999.*


URBAN ROADS – Narromine, Trangie, Tomingley	
Various Streets (Narromine)	<p><u>Maintenance:</u></p> <ul style="list-style-type: none"> Routine Maintenance Program such as patching and street sweeping, etc. Weed control spraying of streets, lanes, gutters, footpaths and cemeteries ongoing Shoulder widening and sealing ongoing in Minore Street, Manildra Street and Terangion Street. Maintenance of the laneways is now complete.
Various Streets (Trangie)	<p><u>Maintenance:</u></p> <ul style="list-style-type: none"> Routine Maintenance Program such as patching and street sweeping, etc. Weed control spraying of streets, lanes, gutters, footpaths and cemeteries ongoing Designs for the drainage at the intersection of Enmore and Mungery Streets have been finalised and Council has appointed a Contractor. Installation of a wombat crossing at the Trangie Central School once illumination requirements have been confirmed. Anticipate to install crossing during the upcoming school holidays
Various Streets (Tomingley)	<p><u>Maintenance:</u></p> <ul style="list-style-type: none"> Routine Maintenance Program by contractor and Council staff (i.e. spraying) when required.
UNSEALED ROADS NETWORK	
Various Unsealed Roads	<p><u>Maintenance: Map No. 1</u></p> <ul style="list-style-type: none"> Belowrie Road <p><u>Capital:</u></p> <ul style="list-style-type: none"> Raeburn Road <p><u>Inland Rail (P2N):</u></p> <ul style="list-style-type: none"> Tomingley West <p><u>Capital: Storm/Flood Funding repair Map No. 2</u></p> <ul style="list-style-type: none"> Momo Road Inspections on flood damaged roads and cost estimating continues <p><u>Roadside spraying completed by Council - Biosecurity</u></p> <ul style="list-style-type: none"> Sprayed Narromine Sewage Treatment Works, Narromine and Trangie laneways, and Eureka Road and Morris Road. St Johns Wort sprayed on Wards Road. African Box Thorn sprayed on Fairview Road and Back Tomingley West Road

Attachment No. 1

 <p>Narromine SHIRE COUNCIL</p>	<p align="center">MONTHLY WORKS REPORT Wednesday, 30 March 2022</p>	<p align="center">Infrastructure and Engineering Services Narromine Shire Council Tel: 02 6889 9999 Fax: 02 6889 9998 mail@narromine.nsw.gov.au</p>
---	---	--


SEALED ROADS NETWORK	
<p>Various Sealed Road</p>	<p><u>Maintenance:</u></p> <ul style="list-style-type: none"> • Bulgandramine Road <p><u>Capital:</u></p> <ul style="list-style-type: none"> • Dandaloo Road • Farrendale Road • Oaks Bridge • Raeburn Lane/Wyanga Road Intersection <p><u>Roadside spraying completed by Council - Biosecurity</u></p> <ul style="list-style-type: none"> • Coolatai Grass inspection on Newell Highway • Sprayed Warren Road, Weemabah Road, Jefferies Road, Frecklingtons Crossing Road, Eumungerie Road, Dandaloo Road, Trangie-Dandaloo Road, Tyrie Road, Trangie-Collie Road, Wambianna Road, Ellengerah Road, Tomingley Road, Tantitha Road, and Gundong Road • Various bridge guard rails, culverts and flood markers sprayed
SWIMMING POOLS	
<p>Narromine Pool</p>	<ul style="list-style-type: none"> • Closed to public 27 March • Managed by Contractor
<p>Trangie Pool</p>	<ul style="list-style-type: none"> • Closed to public 27 March • Managed by Contractor
PARKS AND OPEN SPACE NETWORK CBD Gardens, Parks, Ovals, Villages	
<p>Narromine CBD</p>	<ul style="list-style-type: none"> • Ongoing vegetation management • Review of grass species commenced where grass is dying to determine if alternative species can be planted.
<p>Narromine Parks and Reserves</p>	<ul style="list-style-type: none"> • General maintenance and mowing • Weed control in all small parks ongoing • Wetlands – Construction of primary pond continuing Additional drainage structures being installed, and the construction of foot paths is ongoing • Excavation of secondary pond • Bridge design continuing • Geotechnical investigations at the stormwater pond located near the Mitchell Highway at NDF have commenced and Council is waiting for the results of the analysis.
<p>Narromine Sports Grounds</p>	<ul style="list-style-type: none"> • General maintenance, spraying and mowing • Cale oval – Construction of the new grandstand continues
<p>Narromine Streets</p>	<ul style="list-style-type: none"> • General maintenance • Street sweeping continues

Attachment No. 1

 <p>Narromine SHIRE COUNCIL</p>	<p align="center">MONTHLY WORKS REPORT</p> <p align="center">Wednesday, 30 March 2022</p>	<p align="right">Infrastructure and Engineering Services Narromine Shire Council Tel: 02 6889 9999 Fax: 02 6889 9998 mail@narromine.nsw.gov.au</p>
---	---	---

PARKS AND OPEN SPACE NETWORK CBD Gardens, Parks, Ovals, Villages Cont.	
Trangie CBD	<ul style="list-style-type: none"> • General maintenance and weed control ongoing • Vegetation mowing and slashing continuing
Trangie Parks	<ul style="list-style-type: none"> • General maintenance and mowing
Trangie Sports Grounds	<ul style="list-style-type: none"> • General maintenance, spraying and mowing
Trangie Streets	<ul style="list-style-type: none"> • General maintenance • Street sweeping weekly on Tuesdays
Tomingley Village	<ul style="list-style-type: none"> • General Maintenance
AERODROME	
Narromine Aerodrome	<ul style="list-style-type: none"> • Planning for new tie downs and taxi way • New water main/hydrant system being installed • Tree trimming, slashing and weed control continues
BUILDING MAINTENANCE	
All Buildings	<ul style="list-style-type: none"> • General maintenance as required
Vandalism	<ul style="list-style-type: none"> • Graffiti continues in both Narromine and Trangie
Narromine Medical Centre	<ul style="list-style-type: none"> • General maintenance as required
Council Administration Buildings	<ul style="list-style-type: none"> • General maintenance as required
PUBLIC CONVENIENCES	
Rotary Park (Narromine) Public Toilets	<ul style="list-style-type: none"> • Toilet facilities cleaned daily • Planning for new toilets has commenced
Burraway Street Public Toilets (adjacent to Pool)	<ul style="list-style-type: none"> • Toilet facilities cleaned daily
Manildra Street Toilets (at Saleyards)	<ul style="list-style-type: none"> • Toilet facilities are open, 24 hours a day, 7 days a week and are cleaned daily
Argonauts Park (Trangie) Public Toilets (Goan Waterhole)	<ul style="list-style-type: none"> • Toilet facilities cleaned every Tuesday, Thursday and Saturday
Dandaloo Street Trangie (adjacent to Bakery)	<ul style="list-style-type: none"> • Toilet facilities cleaned every Monday, Wednesday and Friday • Planning for new toilets has commenced
Burns Oval Toilets	<ul style="list-style-type: none"> • Toilet facilities cleaned every Monday, Wednesday and Friday.
Trangie Truck Stop Toilets	<ul style="list-style-type: none"> • Checked daily with a main clean every Tuesday and Thursday and either late Saturday or Sunday morning over weekends
Trangie Truck Wash	<ul style="list-style-type: none"> • Procurement approach adjusted in consultation with the funding body

Attachment No. 1

 <p>Narromine SHIRE COUNCIL</p>	<p>MONTHLY WORKS REPORT</p> <p>Wednesday, 30 March 2022</p>	<p>Infrastructure and Engineering Services Narromine Shire Council Tel: 02 6889 9999 Fax: 02 6889 9998 mail@narromine.nsw.gov.au</p>
---	---	---

PUBLIC CONVENIENCES Cont.	
Trangie Truck Wash cont.	<ul style="list-style-type: none"> Stakeholders will be consulted as part of the design and construct process
Wetlands	<ul style="list-style-type: none"> Toilet block secured and cleaned daily
CEMETERIES	
Narromine Cemetery	<ul style="list-style-type: none"> General maintenance, mowing and weed spraying. Topping up of subsiding graves continues
Trangie Cemetery	<ul style="list-style-type: none"> General maintenance, mowing and weed spraying Topping up of subsiding graves continues
WATER AND SEWER	
Tomingley	<ul style="list-style-type: none"> Regular maintenance at the old water treatment plant. Work on the New Water Treatment Plant has continued and has moved to commissioning, optimisation and process proving
Trangie	<ul style="list-style-type: none"> Staff have continued with reticulation maintenance. Staff continue regular sewer pump station and STP system maintenance as required Staff continue daily operational Drinking Water Quality Testing as required by legislation
Narromine	<ul style="list-style-type: none"> Staff continue daily operational Drinking Water Quality Testing as required by legislation Staff continue reticulation system maintenance Staff have continued the regular service maintenance programs for the Narromine sewage pumping station network Staff have commenced replacement of water mains at the Narromine Aerodrome and Caravan Park precinct



Narrromine

SHIRE COUNCIL

LIQUID TRADE WASTE POLICY

For the Discharge of Liquid Trade Waste to the Sewerage System
Adopted by Council

Version No.	Responsible Department	Prepared By	Date First Created	Review Date	Adopted Date Resolution No.
1	Engineering & Infrastructure Services				10 February 2016 2016/33
2	Engineering & Infrastructure Services				11 July 2018 2018/151
3	Engineering & Infrastructure Services	Manager Utilities	January 2022	4 Years	

Policy Statement

This policy sets out how Narromine Shire Council (NSC) will regulate liquid trade waste discharges to its sewerage system in accordance with the NSW Framework for Regulation of Liquid Trade Waste (Appendix F).

Sewerage systems are generally designed to cater for liquid waste from domestic sources that are essentially of predictable strength and quality. Council **may** accept liquid trade waste into its sewerage system as a **service** to businesses and industry.

Liquid trade wastes may exert much greater demands on sewerage systems than domestic sewage and, if uncontrolled, can pose serious problems to public health, worker safety, Council's sewerage system and the environment.

This Policy is consistent with the *Liquid Trade Waste Management Guidelines 2021* developed by the Water Utilities branch of the Department of Planning and Environment

(https://www.industry.nsw.gov.au/_data/assets/pdf_file/0010/147088/trade-waste-management-guidelines.pdf)

A person wishing to discharge liquid trade waste to the sewerage system must, under Section 68 of the *Local Government Act 1993*, obtain prior approval from Narromine Shire Council. Discharging liquid trade waste without an approval is an offence under section 626 of the Act.

The procedure for approval is governed by Chapter 7 of the *Local Government Act* and is subject to the *Local Government (General) Regulation 2021*.

Under clause 28 of the *Local Government (General) Regulation 2021*, a Council must not grant an approval under section 68 of the Act to discharge trade waste (whether treated or not) into a sewer of the Council unless the Director-General of the Department of Trade and Investment, Regional Infrastructure and Services (or that Director-General's nominee) has concurred with the approval.

Contents

Policy Statement	2
1 Introduction	5
1.1 What is liquid trade waste?.....	5
1.2 Objectives	6
2 Structure of the Policy	6
2.1 Part 1 – Exemptions.....	6
2.2 Part 2 - Criteria for approval to discharge liquid trade waste into Council's sewerage system	6
2.2.1 Factors for consideration.....	6
2.2.2 Discharge quality	7
2.2.3 Prohibited or restricted substances and waste.....	10
2.2.3.1 Other substances/discharges either prohibited or restricted	11
2.3 Part 3 –Matters relating to liquid trade waste approvals	12
2.3.1 Application procedures and approval process	12
2.3.2 Who can lodge an application	12
2.3.3 Council's process in determination of applications.....	12
2.3.4 Approval of applications.....	12
2.3.5 Refusal	12
2.3.6 Change of approval holder	12
2.3.7 Validity of an existing approval.....	12
2.3.8 Modification and revocation of approvals	13
2.3.9 Concurrence.....	13
3 Sewerage and liquid trade waste fees and charges	13
3.1 Liquid trade waste charging categories.....	14
3.2 Non-compliance liquid trade waste charges.....	14
3.3 Other applicable liquid trade waste charges.....	15
3.4 Charges for premises with multiple liquid trade waste streams.....	15
3.5 Summary of category specific fees and charges.....	16
4 The NSW framework for regulation of sewerage and trade waste and alignment of with the national framework.	16
5 Liquid trade waste service agreement	17
6 Enforcement of approvals and agreements	17
7 Prevention of waste of water	17
8 Effluent improvement plans	17
9 Due diligence programs and contingency plans	18
Appendix A - Glossary	19
Appendix B – Deemed to be Approved Activities	23
Appendix C - Prohibited or restricted substances and wastes from discharge to sewer	25
C1 Stormwater from open areas.....	25
C2 Contaminated groundwater.....	25
C3 Discharge of landfill leachate	25
C4 Discharge from float tanks	26
C5 Discharge from Service station forecourts and other refuelling points	26
C5.1 New premises.....	26
C5.2 Existing premises	26

C6	Discharges from liquefaction and/or pulverisation of solid waste by physical or chemical processes.....	26
C6.1	Discharge from Solid Food Waste Processing Units (digesters/ composters, etc.).....	27
C7	Use of additives in pre-treatment systems.....	27
C8	Discharge of disposable products marketed as flushable	27
Appendix D - Non-residential sewerage and liquid trade waste fees and charges		28
D1	Non-residential sewerage pricing.....	28
D2	Liquid Trade Waste fees and charges	29
D2.1	Description of various trade waste fees and charges.....	30
D3	Category 1 discharger.....	31
D3.1	Category 1 discharger - Liquid trade waste charges.....	31
D4	Category 2 discharger.....	32
D4.1	Category 2 discharger - Liquid trade waste charges.....	32
D5	Category 2S discharger.....	33
D5.1	Category 2S discharger - Liquid trade waste charges.....	33
D6	Category 3 discharger.....	33
D6.1	Category 3 discharger - Liquid trade waste charges.....	34
D6.2	Tankered Category 3 waste	35
D7	Non-compliance liquid trade waste charges.....	35
D7.1	Category 1 discharger - non-compliance charges.....	36
D7.2	Category 2 discharger – non-compliance charges	36
D7.3	Non-compliance charges for Category 3 discharger.....	36
D8	Other applicable liquid trade waste charges.....	37
D8.1	Garbage grinders - Food waste disposal charge	37
D8.2	Solid food waste processing unit	38
D8.3	Discharge of stormwater from large open areas or large quantities of groundwater to the sewerage system.....	38
D8.4	Charges for premises with multiple liquid trade waste streams.....	38
Appendix E – List of discharges Council may approve		40
E1	Classification A	40
Appendix F - Framework for regulation of liquid trade waste.....		42
F1	The NSW framework for regulation of sewerage and trade waste	42
F2	Alignment with the national framework for wastewater source management	43
Appendix G – Legislative provisions.....		45
ATTACHMENT 1 – SAMPLE LIQUID TRADE WASTE SERVICE AGREEMENT BETWEEN NARROMINE SHIRE COUNCIL AND [APPLICANT].....		47
ATTACHMENT 2 - PROVISIONS IN THE LOCAL GOVERNMENT (GENERAL) REGULATION 2021 IN REGARD TO ACCEPTANCE OF LIQUID TRADE WASTE INTO THE SEWERAGE SYSTEM		55

1 Introduction

This Policy has been developed to ensure the proper control of liquid trade waste and hence protection of public health, worker safety, the environment, and Council's sewerage system. The policy also promotes waste minimisation, water conservation, water recycling and biosolids reuse.

In addition, the approval, monitoring and enforcement processes for liquid trade wastes discharged to Council's sewerage system and the levying of commercial sewerage and liquid trade waste fees and charges are described in this document. The procedure for liquid trade waste approval is governed by Chapter 7 of the Local Government Act.

Under section 68 of the *Local Government Act 1993* (Act), a person wishing to discharge liquid trade waste to the sewerage system must obtain prior approval from Council. Discharge of liquid waste other than domestic sewage without prior approval is an offence under section 626 of the Act.

1.1 What is liquid trade waste?

Liquid trade waste is defined in the Local Government (General) Regulation 2021 as: **“Liquid trade waste means all liquid waste other than sewage of a domestic nature.”**

Liquid trade waste discharges to the sewerage system include liquid wastes from:

- industrial premises
- business/commercial premises (e.g. beautician, florist, hairdresser, hotel, motel, restaurant, butcher, supermarket, etc.)
- community/public premises (including clubs, school, college, university, hospital and nursing home)
- any commercial activities carried out at residential premises
- saleyards, racecourses and stables and kennels that are not associated with domestic households
- tankered human waste, ship-to-shore waste from marina pump-out facilities, portable toilet waste and established sites for the discharge of pan contents from mobile homes/caravans
- any other waste tankered to the sewerage facilities, e.g. commercial or industrial waste from un-sewered areas.

Liquid trade waste excludes:

- toilet, hand wash basin (used for personal hygiene only), shower and bath wastes derived from all the premises and activities mentioned above
- wastewater from residential toilets, kitchens, bathrooms or laundries (i.e. domestic sewage)
- wastewater from common laundry facilities in caravan parks (Note that discharges from common kitchen facilities in caravan parks are liquid trade waste)
- residential pool backwash.

1.2 Objectives

The objectives¹ of this policy are:

- to protect public and workers health and safety and the environment
- to protect NSC's assets from damage
- to minimise adverse impacts on the sewage treatment processes
- to assist Council meeting regulatory and licence compliance
- to promote water conservation, waste minimization, cleaner production, effluent recycling and biosolids reuse
- to provide an environmentally responsible liquid trade waste service to the non-residential sector
- to ensure commercial provision of services and full cost recovery through appropriate sewerage and liquid trade waste fees and charges.

2 Structure of the Policy

This policy comprises three parts:

- Part 1 specifies the circumstances in which a person is exempt from the necessity to apply for an approval to discharge liquid trade waste to Council's sewerage system
- Part 2 specifies the criteria which Council will take into consideration in determining whether to give or refuse a liquid trade waste approval
- Part 3 specifies the application procedure and approval process, liquid trade waste discharge categories and applicable fees and charges, the NSW Framework for Regulation of Liquid Trade Waste, alignment with the *National Framework for Wastewater Source Management* and other relevant information

2.1 Part 1 – Exemptions

The list of discharges exempt from obtaining of Council's approval is provided in Appendix B. These discharges are known as 'Deemed to be approved'. Each such discharger must meet the standard requirements specified in Appendix B.

2.2 Part 2 - Criteria for approval to discharge liquid trade waste into Council's sewerage system

2.2.1 Factors for consideration

Council's decision to accept liquid waste into its sewerage system will be based on the discharger satisfying Council's requirements. Therefore, when determining an application to discharge liquid waste to the sewerage system, Council will consider the following factors:

¹ The above objectives are consistent with the *National Framework for Sewage Quality Management in the Australian Sewage Quality Management Guidelines, June 2012*, Water Services Association of Australia (WSAA).

- The potential impacts of the proposed discharge on Council's ability to meet the objectives outlined in s. 1.2 of this document.
- The adequacy of the pre-treatment process(es) to treat the liquid trade waste to a level acceptable for discharge to the sewerage system, including proposed contingency measures in an event of the pre-treatment system failure
- The capability of the sewerage system (reticulation and treatment components) to accept the quantity and quality of the proposed liquid waste
- The adequacy of chemical storage and handling facilities, and the proposed safeguards for prevention of spills and leaks entering to the sewerage system
- The adequacy of the proposed due diligence program and contingency plan, where required.
- Proposed management of prohibited substances and other liquid waste not planned to be discharged to the sewerage system and safeguards to avoid any accidental discharge
- The potential for stormwater entering the sewerage system and adequacy of proposed stormwater controls
- The potential for growth of the community

2.2.2 Discharge quality

Council's acceptance limits for liquid trade waste discharges are set out in Table 1. These limits are consistent with the acceptance limits specified in the *Liquid Trade Waste Management Guidelines*, 2021 by the Department of Planning and Environment.

Table 1: Acceptance limits for liquid trade waste into the sewerage system

Parameter	Limits
Flow Rate	The maximum daily and instantaneous rate of discharge (kL/h or L/s) is determined based on the available capacity of the sewer. Large discharges are required to provide a balancing tank to even out the load on the sewage treatment works.
BOD ₅	Normally approved at 300 mg/L. Concentrations up to 600 mg/L may be accepted.
Suspended solids	Normally approved at 300 mg/L. Concentrations up to 600 mg/L may be accepted.
COD	Normally, not to exceed BOD ₅ by more than three times. This ratio is given as a guide only to prevent the discharge of non-biodegradable waste.
Total Dissolved Solids	Up to 4000 mg/L may be accepted. The acceptance limit may be reduced depending on available effluent disposal options and may be subjected to a mass load limit.
Temperature	Less than 38°C.
pH	Within the range 7.0 to 9.0.
Oil and Grease	100 mg/L if the volume of the discharge does not exceed 10% of the design capacity of the treatment works and 50 mg/L if the volume is greater than 10%.
Detergents	All detergents are to be biodegradable. A limit on the concentration of 50 mg/L (as MBAS) may be imposed on large liquid trade wastes discharges.
Colour	Colour must be biodegradable. No visible colour when diluted to the equivalent dilution afforded by domestic sewage flow. Specific limits may be imposed on industrial discharges where colour has a potential to interfere with sewage treatment processes and the effluent management.
Radioactive Substances	If expected to be present (e.g. Iodine 131 from ablation), acceptance requirements will be set on a case-by-case assessment.

Acceptance limits for inorganic and organic compounds		Maximum concentration (mg/L)
Inorganic compounds	Ammonia (as N)	50
	Boron	5
	Bromine	5
	Chlorine	10
	Cyanide	1
	Fluoride	30
	Nitrogen (total Kjeldahl)	100
	Phosphorus (total)	20
	Sulphate (as SO ₄)	500
	Sulphide (as S)	1
Organic compounds	Benzene	< 0.001
	Toluene	0.5
	Ethylbenzene	1
	Xylene	1
	Formaldehyde	30
	Phenolic compounds non-halogenated	1
	Petroleum Hydrocarbons ² <ul style="list-style-type: none"> • C₆-C₉ (flammable) • Total Recoverable Hydrocarbons (TRH) 	5 30
	Pesticides general (except organochlorine and organophosphorus)	0.1
	Polynuclear Aromatic Hydrocarbons (PAH)	5

² Always ask a laboratory to carry out a silica gel clean up, if other than petroleum products are expected to be present in a liquid trade waste sample, e.g. animal fats, plant oil, soil, etc.

Acceptance limits for metals	Maximum concentration (mg/L)	Allowed daily mass limit (g/d)
Aluminium	100	
Arsenic	0.5	2
Cadmium	1	5
Chromium ³	3	10
Cobalt	5	15
Copper	5	15
Iron	100	
Lead	1	5
Manganese	10	30
Mercury	0.01	0.05
Molybdenum	5	15
Nickel	1	5
Selenium	1	5
Silver	2	5
Tin	5	15
Zinc	1	5
Total heavy metals excluding aluminium, iron and manganese	Less than 30 mg/L and subject to total mass loading requirements	

Notes:

1. Acceptance limits for substances not listed in above Tables will be determined on a case by case basis.
2. The quality of liquid trade waste from some low risk commercial activities in Classification A and B will exceed acceptance limits listed in above Table. As a higher level of pre-treatment is not cost-effective, such waste is acceptable if the discharger installs, maintains and properly operates the required on-site pre-treatment. Similarly, septic and pan waste may exceed some acceptance limits.
3. The analytical testing methods for the above parameters should be in accordance with the Australian Sewage Quality Management Guidelines, June 2012, WSA and Council's requirements

2.2.3 Prohibited or restricted substances and waste

Substances prohibited from being discharged into the sewerage system unless they are specifically approved under section 68 of the Act are listed in Table 2. In addition, s 2.2.3.1 lists the discharges either prohibited or restricted. Refer to Appendix C for detailed description of substances and discharges either prohibited or restricted.

³ Where hexavalent chromium (Cr⁶⁺) is present in the process water, pre-treatment will be required to reduce it to the trivalent state (Cr³⁺), prior to discharge into the sewer

Table 2 Waste Prohibited from discharge to the sewerage system

- Organochlorine weedicides, fungicides, pesticides, herbicides and substances of a similar nature and/or wastes arising from the preparation of these substances
- organophosphorus pesticides and/or waste arising from the preparation of these substances
- per- and poly-fluoroalkyl substances (PFAS)
- any substances liable to produce noxious or poisonous vapours in the sewerage system
- organic solvents and mineral oil[#]
- any flammable or explosive substance[#]
- discharges from 'Bulk Fuel Depots'
- discharges from chemicals and/or oil storage areas
- natural or synthetic resins, plastic monomers, synthetic adhesives, rubber and plastic emulsions
- roof, rain, surface, seepage or ground water, unless specifically permitted (clause 137A of the Local Government (General) Regulation 2021)
- solid matter[#]
- disposable products including wet wipes, cleaning wipes, colostomy bags, cat litter and other products marketed as flushable
- any substance assessed as not suitable to be discharged into the sewerage system
- liquid waste that contains pollutants at concentrations which inhibit the sewage treatment process – refer to Australian Sewage Quality Management Guidelines, June 2012, WSAA
- any other substances listed in a relevant regulation

[#] In excess of the approved limit

2.2.3.1 Other substances/discharges either prohibited or restricted

- Stormwater from open areas
- Contaminated groundwater
- Landfill leachate
- Discharge from float tanks
- Discharge from new service station forecourts and other refuelling points
- Discharge of liquid waste arising from liquefaction and/or pulverisation of solid waste by physical or chemical processes (e.g. garbage grinders/in-sinkerators, macerators, alkaline hydrolysis).
- Discharge from solid food waste processing units (digesters/composters, etc.)
- Use of additives in pre-treatment systems

For further details on limitations and restrictions applicable to above discharges, refer to Appendix C of this policy, Chapter 3 of the *NSW Liquid Trade Waste Management Guidelines, 2021*

2.3 Part 3 –Matters relating to liquid trade waste approvals

2.3.1 Application procedures and approval process

Council's written approval is required prior to commence discharging liquid trade waste to its sewerage system, under s.68 of the Local Government Act 1993. Application forms are available from Council.

The applicant must lodge a trade waste application providing all requested information.

A trade waste application is not required to discharge liquid trade waste from 'Deemed to be approved' activities listed in Appendix B.

2.3.2 Who can lodge an application

The applicant must be either the owner or the occupier of the premises. If the applicant is not the owner of the premises, the owner's consent to the application is required.

2.3.3 Council's process in determination of applications

Council may request an applicant to provide further information to enable it to determine the application.

2.3.4 Approval of applications

Where an application is approved, Council will notify the applicant including any conditions of the approval and reasons for such conditions. The duration of the approval will be as stated in the approval.

An applicant may make a minor amendment or withdraw an application before it is processed by Council. An applicant may also apply to Council to renew or extend an approval, in accordance with section 107 of the Local Government Act.

2.3.5 Refusal

If an application is refused, Council will notify the applicant of the grounds for refusal.

Under section 100 of the Act the applicant may request the review of Council's determination. Under section 176 of the Act, the applicant dissatisfied with Council's determination may appeal to the Land and Environment Court within 12 months.

2.3.6 Change of approval holder

An approval to discharge liquid trade waste to Council's sewerage system is not transferable. A new application must be lodged, and a new approval must be obtained if there is a change of the approval holder. Council must be notified of change of ownership and/or occupier in all cases, whether a new approval is required or not, to allow updating of records.

2.3.7 Validity of an existing approval

A new approval is required where there is a change of:

- approval holder (either owner or occupier can be an approval holder)
- activity generating the waste
- the quantity or the nature of liquid trade waste
- approval conditions.

2.3.8 Modification and revocation of approvals

Council reserves the right to modify or revoke an approval to discharge liquid trade waste to the sewerage system under the circumstances described in s.108 of the *Local Government Act 1993*:

2.3.9 Concurrence

If Council supports an application and has a notice stating that concurrence of the Secretary, The Department of Planning and Environment can be assumed for the liquid trade waste relevant to the application, Council will approve the application. Otherwise, Council will seek concurrence to its approval.

For concurrence purposes, liquid trade waste discharges are divided into four classifications.

- Concurrence Classification A – liquid trade waste for which Council has been authorised to assume concurrence to the approval subject to certain requirements
- Concurrence Classification B – liquid trade waste for which Council may apply for authorisation to assume concurrence to the approval subject to certain requirements
- Concurrence Classification S – the acceptance of septic tank, pan waste and ship-to-shore pump-out etc. Council may apply for authorisation to assume concurrence to the approval subject to certain conditions
- Concurrence Classification C – all other liquid trade waste that do not fall within Concurrence Classification A, B or S, and therefore require Council to forward the application for concurrence.

Refer to Appendix E which lists type of discharges that Council have assumed concurrence (i.e. that Council can approve without seeking concurrence from the Department).

3 Sewerage and liquid trade waste fees and charges

Narromine Shire Council provides sewerage and liquid trade waste services on a commercial basis to non-residential dischargers, with full cost recovery through sewerage and liquid trade waste fees and charges. Council implements best practice pricing for non-residential sewerage and liquid trade waste services to ensure that dischargers bear a fair share of the cost of providing sewerage services and to facilitate appropriate pre-treatment, waste minimisation and water conservation

The current sewerage and liquid trade waste fees and charges are provided on Council's website [Fees and Charges - Narromine Shire Council \(nsw.gov.au\)](https://www.narromine.nsw.gov.au/fees-and-charges)

Council's liquid trade waste fees and charges include:

- general fees and charges (application fee, annual liquid trade waste fee, inspection and/or re-inspection fees and renewal fee)
- category specific charges (trade waste usage charges for Charging Category 2 discharges, excess mass charges for Charging Category 3 discharges, charges for Charging Category 2S discharges and non-compliance charges)
- other charges related to the nature of waste (eg. charges for the discharge of stormwater from large areas)

Detailed description of the liquid trade waste fees and charges and the methodology of calculating them are provided in Appendix D.

3.1 Liquid trade waste charging categories

For charging purposes there are 4 liquid trade waste charging categories:

- Category 1 – discharges requiring minimal pre-treatment, or prescribed pre-treatment but low impact on the sewerage system. These dischargers will only pay an annual fee. If pre-treatment equipment is not provided or maintained, non-compliance charges will be applied.
- Category 2 – discharges with prescribed pre-treatment⁴ and other activities listed under this charging category in Appendix D. These dischargers will pay trade waste usage charge and annual trade waste fee. If pre-treatment equipment is not provided or not maintained, then such dischargers will be required to pay non-compliance usage charge.
- Category 2S – transporters who tanker human waste to Council's STWs, owners/operators of ship-to-shore pump out facilities and owners/operators of 'dump points' directly connected to sewer
- Category 3 – large (>20 kL/d) and industrial discharges (excluding shopping centres and institutions). Such dischargers will pay excess mass charges. If the discharge fails to comply with Council's acceptance limits, dischargers will be required to pay non-compliance excess mass charges and pH charges

Note that these charging categories are different to four classifications that have been established for concurrence purposes (i.e. Classification A, B, C and S). The relationship between Concurrence Classifications and Charging Categories are shown in Figure 1 in Appendix D.

3.2 Non-compliance liquid trade waste charges

In order to encourage compliance, Council may apply non-compliance trade waste charges. Refer to Appendix D for further details of non-compliance charges for different charging categories.

Council will continue applying non-compliance charges until the discharge meets Council's approved quality (or the liquid trade waste policy) limits, within the timeframe determined by Council for remedying the problem. If the discharger fails to rectify the problem within an agreed timeframe, the discharger may be required to cease discharging liquid trade waste into Council's sewerage system. Council may also consider issuing penalty infringement notice to a non-compliant discharger or may prosecute the discharger.

⁴ Excludes activities in Category 1.

3.3 Other applicable liquid trade waste charges

Additional fees and charges may be levied by Council if wastewater is discharged to Council's sewerage system from the following equipment and or processes, with Council's approval.

- Food waste disposal units (ie. garbage grinders/insinkerators) ⁵
- Solid food waste processing unit
- Discharge of stormwater to the sewerage system from large open areas or large quantities of groundwater

These fees and charges will be calculated on the basis of each application
Refer to Appendix D for further details.

3.4 Charges for premises with multiple liquid trade waste streams

Examples of premises with multiple waste streams include:

- shopping centres
- commercial strata units
- institutions, e.g. hospitals, tertiary educational facilities and correctional centres
- other premises with multiple waste streams,

Refer to Appendix D and *Trade Waste Management Guidelines 2021* for further details.

⁵ For existing installations only. New installations are not permitted.

3.5 Summary of category specific fees and charges

The summary of fees and charges are indicated in Table 3 below:

Table 3 Summary of fees and charges

Fee/Charge	Category 1	Category 2	Category 3	Category 2S
Application fee	Yes ⁶	Yes	Yes	Yes
Annual non-residential sewerage bill with appropriate sewer usage charge/kL	Yes	Yes	Yes	No
Annual liquid trade waste fee	Yes ⁷	Yes	Yes	Variable ⁸
Re-inspection fee (when required)	Yes	Yes	Yes	Optional ⁹
Trade waste usage charge/kL	No	Yes	No	No
Human waste disposal charge/kL	No	No	No	Yes
Excess mass charges/kg	No	No	Yes	No
Non-compliance trade waste usage charge/kL	Yes ¹⁰	Yes ¹⁰	No	No
Non-compliance excess mass/kg and pH charges/kL (if required)	No	No	Yes	No

Note: Refer to Appendix D for other applicable charges not included in this Table.

Responsibility for payment of fees and charges

Property (land) owners are responsible for the payment of fees and charges for water supply, sewerage and liquid trade waste services. This includes property owners of marinas, caravan parks, etc.

Where another party (lessee) leases premises, any reimbursement of the lessor (property owner) for such fees and charges is a matter for the lessor and the lessee.

In relation to tankered human waste, Narromine Shire Council does not at this time accept Tankered human waste at any of its sewage treatment works.

Note that a liquid trade waste discharger (except for tankered waste) pays both the non-residential sewerage charges and liquid trade waste fees and charges.

4 The NSW framework for regulation of sewerage and trade waste and alignment of with the national framework.

The NSW framework for regulation of sewerage and trade waste and the alignment with the national framework for wastewater source management are listed in Appendix F

⁶ Not applicable for discharges listed as Deemed to be Approved

⁷ May not be applicable for discharges listed as 'Deemed to be Approved'.

⁸ Refer to Appendix D for guidance on applying annual fees to Category 2S discharges.

⁹ Applicable if re-inspection of facilities is required, e.g. ship-to-shore pump-out facility.

¹⁰ Non-compliance trade waste usage charge, if the discharger fails to install or properly maintain appropriate pre-treatment equipment. Refer to Council's Operational Plan

5 Liquid trade waste service agreement

In addition to its approval under the Local Government Act, Council may require certain dischargers, including those who wish to discharge liquid trade waste in large volumes (discharge >20 kL/d) or industrial waste (Concurrence Classification C discharges) or some Classification S discharges into its sewerage system to execute a liquid trade waste services agreement. The agreement will set out the conditions associated with the discharge and execution of the agreement will be a condition of the approval issued by Council.

6 Enforcement of approvals and agreements

If the discharge is not approved or fails to comply with the approval conditions, the discharger is subject to prosecution and imposition of fines under the *Local Government Act 1993* (under s. 626 and s. 627).

Above offences are also prescribed as penalty notice offences under the Act and Council may issue a penalty infringement notice (i.e. on the spot fine) to such discharger (Refer to Schedule 12 of the Local Government (General) Regulation 2021).

In addition to fines, Council may recover costs of damages and fines incurred by Council as a result of an unauthorised liquid waste discharge. Temporary suspension or cessation the discharge may also be required.

Note that sections 628 and 634 to 639 also list other offences related to water, sewerage and stormwater drainage.

Polluting of any waters by a discharger of liquid trade waste who does not have a Council approval or who fails to comply with the conditions of the approval is also an offence under section 120 (1) of the *Protection of the Environment Operations Act 1997*. In addition, under section 222 of this Act, Council may issue a penalty infringement notice to such a discharger.

7 Prevention of waste of water

Water must be used efficiently and must be recycled where practicable. It is an offence under section 637 of the *Local Government Act 1993* and its Regulation (refer to Appendix G) to waste or misuse water.

Dilution of liquid trade waste with water from any non-process source including Council's water supply, bore water, groundwater, stormwater as a means of reducing pollutant concentration is therefore strictly prohibited.

8 Effluent improvement plans

Where the quality of liquid trade waste discharged does not meet Council's requirements, the applicant may be required to submit an Effluent Improvement Plan setting out how Council's requirements will be met. The proposed plan must detail the methods/actions proposed to achieve the discharge limits and a timetable for implementation of the proposed actions. Such actions may include more intensive monitoring, improvements to work practices and/or pre-treatment facilities to improve the effluent quality and reliability

9 Due diligence programs and contingency plans

A discharger may be required to submit a due diligence program and a contingency plan for some liquid trade waste discharges (generally in Concurrence classification C, Charging Category 3) where it is considered that the discharge may pose a potential threat to the sewerage system. If required, a due diligence program and contingency plan must be submitted to Council within the time specified in the liquid trade waste approval.

DRAFT

Appendix A - Glossary

Authorised assumed concurrence—Councils with significant experience in liquid trade waste regulation are encouraged to apply to the Secretary, Department of Planning and Environment seeking to obtain concurrence for Council's approval for Classification B and Classification S discharges. If granted, Council will no longer need to forward such applications to the department for concurrence, provided that Council complies with the conditions outlined in the notice of concurrence.

Automatic assumed concurrence—Council has been granted assumed concurrence for approval for Classification A discharges, provided that Council complies with conditions outlined in the notice of concurrence. Such applications may be approved by Council without forwarding the application to the local DPE Office for concurrence.

Biochemical Oxygen Demand (BOD₅) —the amount of oxygen utilised by micro-organisms in the process of decomposition of organic material in wastewater over a period of five days at 20°C. In practical terms, BOD is a measure of biodegradable organic content of the waste.

Biosolids—primarily organic solids produced by sewage processing. Until such solids are suitable for beneficial use, they are defined as wastewater solids or sewage sludge.

Blackwater—wastewater containing human excrement (i.e. faeces, urine).

Bunding—secondary containment provided for storage areas, particularly for materials with the propensity to cause environmental damage.

Chemical Oxygen Demand (COD) —a measure of oxygen required to oxidise organic and inorganic matter in wastewater by a strong chemical oxidant. Wastewaters containing high levels of readily oxidised compounds have a high COD.

Chemical toilet—toilets in which wastes are deposited into a holding tank containing deodorizing or other chemicals. Stored wastes must be pumped out periodically.

Commercial retail discharge: commercial discharges can be described as wastes that are discharged from businesses dealing directly with the public.

Commercial caterer—a commercial caterer is typically a stand-alone operation and prepares food for consumption off-site. These types of businesses typically cater to wedding functions, conferences, parties, etc. This definition does not apply to a food processing factory supplying pre-prepared meals to a third party.

Council—for the purpose of this document, "Council" refers to a local government body (including Local Water Utility) which provides water supply and sewerage services in regional NSW

Contingency plan—a set of procedures for responding to an incident that will affect the quality of liquid trade waste discharged to the sewerage system. The plan also encompasses procedures to protect the environment from accidental and unauthorised discharges of liquid trade waste, leaks and spillages from stored products and chemicals.

Concurrence—under s. 90(1) of the *Local Government Act 1993* and cl. 28 of the *Local Government (General) Regulation 2021*, Council must obtain the written concurrence of the Secretary of the Department of Planning and Environment prior to approving the discharge of liquid trade waste to Council's sewerage system. The department's Water Utilities Branch provides concurrence on behalf of the Secretary.

Due Diligence Program—a plan that identifies potential health and safety, environmental or other hazards (e.g. spills, accidents or leaks) and appropriate corrective actions aimed at minimising or preventing the hazards.

Effluent—the liquid discharged following a wastewater treatment process.

Effluent Improvement Plan (EIP)—the document required to be submitted by a discharger who fails to meet the acceptance limits set down in Council's approval conditions and/or liquid trade waste agreement. The document sets out measures taken by a discharger in order to meet the acceptance limits within the agreed timeframe.

Fast food outlet —a food retailing business featuring a very limited menu, precooked or quickly prepared food, and take-away operations. Premises of this nature include KFC, McDonalds, Red Rooster, Pizza Hut, Hungry Jack's, Burger King, etc.

Galley waste —liquid waste from a kitchen or a food preparation area of a vessel; not including solid wastes.

Greywater—wastewater from showers, baths, spas, hand basins, laundry tubs, washing machines, dishwashers or kitchen sinks.

Heavy Metals —metals of high atomic weight which in high concentrations can exert a toxic effect and may accumulate in the environment and the food chain. Examples include mercury, chromium, cadmium, arsenic, nickel, lead and zinc.

Housekeeping—a general term, which covers all waste minimisation activities connected within the premises as part of its operation.

Industrial Discharges—industrial liquid trade waste is defined as liquid waste generated by industrial or manufacturing processes. Examples are provided in Liquid Trade Waste Management Guidelines 2021.

Liquid Trade Waste—all liquid waste other than sewage of a domestic nature discharged to the sewerage system.

Mandatory Concurrence—for the liquid waste in Classification C, Councils need to obtain concurrence for approval of each discharge. The Water Utilities Branch of the Department of Planning and Environment provides concurrence on behalf of the department's Secretary.

Methylene Blue Active Substances (MBAS) —anionic surfactants. Their presence and concentration are detected by measuring colour change in a standard solution of methylene blue dye.

Minimal Pre-treatment—for the purpose of this document this means sink strainers, basket arrestors for sink and floor waste, plaster arrestors and fixed or removable screens.

Mixed Business—a general store that sells a variety of goods and may also prepare some food.

Open Area—any unroofed process, storage, washing or transport area where rainwater potentially can be contaminated.

Pan—any moveable receptacle kept in a closet and used for the reception of human waste.

PFAS—group of manufactured chemicals, containing a component with multiple fluorine atoms, with many specialty applications. Examples are perfluoro octane sulfonate (PFOS) and perfluorooctanoic acid (PFOA). They are used in a range of products, such as textiles, leather, cosmetics, non-stick coatings in cookware, food packaging, and in some types of fire-fighting foam. These chemicals take a long time to break down in humans and the environment and their persistence and bioaccumulation potential pose concerns for the environment and for human health.

Pit latrines/long-drop toilet/pit toilet—a type of toilet that collects faeces and urine directly into a tank or a hole in the ground

Portable Toilet—toilet in which wastes are deposited into a holding tank used on construction sites, caravans, motor homes, boats, trains and at outdoor gatherings. If chemicals are used to control odours, it is referred to as a chemical toilet.

pH—a measure of acidity or alkalinity of an aqueous solution, expressed as the logarithm of the reciprocal of the hydrogen ion (H⁺) activity in moles per litre at a given temperature; pH 7 is neutral, below 7 is acidic and above 7 is alkaline.

Premises—has the same meaning as defined in the Local Government Act Dictionary and includes any of the following:

- a building of any description or any part of it and the appurtenances to it
- land, whether built on or not
- a shed or other structure
- a tent
- a swimming pool
- a ship or vessel of any description (including a houseboat)
- a van.

Prescribed Pre-treatment Equipment—standard non-complex equipment used for pre-treatment of

liquid trade waste, e.g. a grease arrestor, an oil arrestor/separator, solids arrestor, cooling pit.

Regional NSW—the areas of the state that are not serviced by the Sydney Water Corporation or the Hunter Water Corporation.

Regulation—Local Government (General) Regulation 2021 under the *Local Government Act 1993*.

Secretary—the head of the Department of Planning and Environment.

Septage—material pumped out from a septic tank during desludging; contains partly decomposed scum, sludge and liquid.

Septic Tank—wastewater treatment device that provides a preliminary form of treatment for wastewater. It provides sedimentation of settleable solids, flotation of oils and fats, and anaerobic digestion of sludge.

Septic Tank Effluent—the liquid discharged from a septic tank after treatment.

Sewage Management Facility—a human waste storage facility or a waste treatment device intended to process sewage and includes a drain connected to such a facility or device.

Sewage of a Domestic Nature—human faecal matter and urine and wastewater associated with ordinary kitchen, laundry and ablution activities of a household, but does not include waste in or from a sewage management facility.

Sewerage System—the network of sewage collection, transportation, treatment and by-products (effluent and biosolids) management facilities.

Sewage treatment works—this is the facility designed to treat sewage. The level of treatment will vary based on the expected quality of the effluent.

Ship-to-Shore Pump-out—liquid waste from a vessel that may be considered for disposal to the sewerage system. This includes on-board toilet wastes, galley wastes and dry dock cleaning waste from maintenance activities.

Sludge—the solids that are removed from wastewater by treatment.

Stormwater Run-off—run-off resulting from rainfall.

Surfactants—the key active ingredient of detergents, soaps, emulsifiers, wetting agents and penetrants. Anionic surfactants react with a chemical called methylene blue to form a blue-chloroform-soluble complex. The intensity of colour is proportional to concentration.

Suspended Solids (SS) —the insoluble solid matter suspended in wastewater that can be separated by laboratory filtration and is retained on a filter.

Total Dissolved Solids (TDS) —total amount of dissolved material in the water.

Total Recoverable Hydrocarbons (TRH)—Both biological and petroleum hydrocarbons which have been extracted (recovered) from a sample. TRH are equivalent to the previously reported Total Petroleum Hydrocarbons (TPH). TRH is reported in fractions with Carbon chain ($C_6 - C_{40}$). TRH with carbon chain $C_6 - C_{10}$ are flammable.

Waste Minimisation—procedures and processes implemented by industry and business to modify, change, alter or substitute work practices and products that will result in a reduction in the volume and/or strength of waste discharged to sewer

Appendix B – Deemed to be Approved Activities

The list of discharges exempts from obtaining of Council's approval (ie considered as Deemed to be approved) is shown in Table B1. Each such discharger must meet standard requirements specified in this Table.

Table B 1 Discharges deemed to be approved

Activity generating waste	Requirements
Beautician	Solvents not to be discharged to sewer
Bed and Breakfast (not more than 10 persons including proprietor)	Sink strainers in food preparation areas Housekeeping practices (see Note 4)
Cooling tower <500L/h	No chromium-based products to be discharged to the sewer
Crafts ceramic, pottery, etc. (including hobby clubs) flows <200 L/d flows 200-1,000 L/d	Nil
	Plaster arrestor required
Day care centre (no hot food prepared)	Sink strainers in food preparation areas Housekeeping practices (see Note 4) Nappies, wet wipes are not to be flushed into the toilet
Delicatessen (no hot food prepared)	Sink strainers in food preparation areas Housekeeping practices (see Note 4)
Dental technician	Plaster arrestor required
Dental mobile (no amalgam waste)	Nil
Dog/cat grooming/animal wash only	Dry basket arrestor for floor waste outlets and sink strainer required (see Note 3) Animal litter and any disposable waste products must not be discharged to sewer Organophosphorus pesticides are prohibited to be discharged to sewer
Florist	Dry basket arrestor for floor waste outlet and sink strainer required Herbicides/pesticides are not permitted to be discharged to sewer
Fruit and vegetable – retail	Dry basket arrestor for floor waste outlet and sink strainer required (see Notes 3 and 5)

Hairdressing	Dry basket arrestor for floor waste outlet and sink strainer, hair trap
Jewellery shop miniplate	Miniplate vessel to contain no more than 1.5 L of precious metal solution
ultrasonic washing	Nil
precious stone cutting	If: < 1000 L/d plaster arrestor required > 1000 L/d general purpose pit required
*Medical centre/doctor surgery/physiotherapy *(Only if plaster cast are made onsite)	Plaster arrestor required, if plaster of paris casts are used
Mixed business (minimal hot food)	Dry basket arrestor for floor waste outlet and sink strainer required (see Note 3) Housekeeping practices (see Note 4)
Mobile cleaning units carpet cleaning	20-micron filtration system fitted to a mobile unit
garbage bin washing	Dry basket arrestor for floor waste outlet required. Discharge via grease arrestor (if available)
Motel (no hot food prepared and no laundry facility)	Dry basket arrestor for floor waste outlet and sink strainer required (see Note 3) Housekeeping practices (see Note 4)
Nut shop	Dry basket arrestor for floor waste outlet and sink strainer required (see Note 3)
Optical service - retail	Solids settlement tank/pit required
Pet shop – retail	Dry basket arrestor for floor waste outlet and sink strainer required (see Note 2) Animal litter and any disposable waste products must not be discharged to sewer Organophosphorus pesticides are prohibited to be discharged to sewer
Pizza reheating for home delivery	Housekeeping practices (see Note 4)
Venetian blind cleaning	Nil (see Note 2)

Notes:

1. Where "required" is used, it means as required by Council.
2. If activity is conducted outdoors, the work area is to be roofed and bunded to prevent stormwater ingress into the sewerage system.
3. Dry basket arrestors must be provided for all floor waste outlets.
4. Food preparation activities need to comply with sound housekeeping practices including:
 - (a) floor must be dry swept before washing
 - (b) pre-wiping of all utensils, plates, bowls etc. to the scrap bin before washing up
5. Use of a food waste disposal unit (garbage grinder) and/or a food waste processing unit (food waste digester, composter etc) is not permitted

Appendix C - Prohibited or restricted substances and wastes from discharge to sewer

This Appendix provides additional information regarding substances and waste either prohibited or restricted from being discharged to sewer (as indicated in Table 2 of this Policy).

C1 Stormwater from open areas

The ingress of stormwater into the sewerage system can cause operational problems and result in sewer overflows, as the sewerage system does not have the capacity for such flows. Under clause 137A of the Regulation, the discharge of roof, rain, surface, seepage or groundwater to a sewerage system is prohibited unless specifically approved.

However, it may not be practical or feasible to totally prevent stormwater contamination and ingress into a sewerage system from some non-residential premises.

The discharge of limited quantities of stormwater (generally, 10 mm of rain) from sealed areas can be considered when roofing cannot be provided due to safety or other important considerations. In such instances, the applicant should take measures to minimise the contamination of stormwater and the volume of stormwater entering the sewerage system (e.g. first flush systems, flow separation, bunding, on-site detention, etc.). The discharge from unsealed areas is not permitted.

Refer to the Liquid Trade Waste Management Guidelines 2021 for further information

C2 Contaminated groundwater

Similar to stormwater, discharge of groundwater or seepage water to a sewerage system is prohibited under clause 137A of the Regulation. Accordingly, groundwater extracted during construction activities (e.g. building/road construction activities, vacuum excavation, mining/exploration works, etc.) is not permitted to be discharged to Council's sewerage system directly or indirectly.

However, groundwater previously contaminated by human activities (e.g. service station remediation sites) may be considered for discharge to the sewerage system. Limited quantities of groundwater from remediation projects may be accepted under controlled conditions after appropriate pre-treatment for a limited period.

C3 Discharge of landfill leachate

The discharge of leachate from municipal waste landfills to the sewerage system may be considered under controlled conditions, if there is no other viable option of managing this waste and the discharge is within the Council's acceptance limits.

The proponent when seeking approval to discharge leachate to sewer needs to demonstrate that a sound stormwater management plan has been developed and implemented. The plan needs to address:

- segregation of potentially contaminated areas from uncontaminated areas
- prevention of surface runoff entering leachate collection ponds/dams and to Council sewerage system.
- appropriate pre-treatment to meet Council's acceptance limits

Only the excess leachate after on-site management within the premise will be considered for sewer discharge, if it meets Council's acceptance criteria. On-site pre-

treatment to reduce ammonia levels (and other substances, e.g. PFAS) may also be required.

C4 Discharge from float tanks

Float tanks, often referred to as floatation pods, iso-pods (isolation tank), sensory deprivation systems, or REST tanks (restricted environmental stimulation therapy tanks) are typically small, enclosed pods containing about 1,000 litres of water. This water usually contains large quantities of Epsom salts (300 - 700 kg of magnesium sulphate), resulting in total dissolved solids concentration up to 700,000 mg/L.

Discharge of such water to sewer is not permitted due to potential adverse impacts associated with the high salt content on the sewer infrastructure and treatment processes. It is also not appropriate to dispose of such waste to septic tanks or on-site soak wells.

If wastewater is proposed to be transported away for off-site management, the operator of such facilities must provide details of liquid waste transporters and written verification from the receival facilities acknowledging and agreeing to receive such wastewater.

C5 Discharge from Service station forecourts and other refuelling points

C5.1 New premises

The discharge of wastewater from service station forecourts and other refuelling points (e.g. at bus depot, etc.) is not permitted.

Refer to NSW EPA Practice Note, titled *Managing Run-off from Service Station Forecourts*, June 2019, for options for managing such wastewater.

C5.2 Existing premises

The discharge from existing service stations and other refuelling areas may be permitted, provided appropriate pre-treatment and discharge control requirements are adhered to. Further information is provided in Chapter 3 and Appendix F of the *Liquid Trade Waste Management Guidelines 2021*.

If a refuelling area is refurbished, then the discharge from this area must be disconnected from the sewerage system.

C6 Discharges from liquefaction and/or pulverisation of solid waste by physical or chemical processes

The wastewater arising from liquefaction or pulverisation of solid waste by physical (e.g. pulping, macerating) or chemical means (e.g. dissolving solid waste in highly acidic or alkaline solutions) is not permitted to be discharged to the sewerage system.

Accordingly, discharges from the following devices/processes are not permitted.

- **Macerators** or similar devices that pulverising of solid waste. Solid waste includes, but not limited to sanitary napkin, placenta, surgical waste, disposable nappy, mache bedpan/urine containers, food waste, disposable products and animal waste (dog/cat faeces, cat litter).

- **Food waste disposal units**, also known as in-sink food waste disposers or garbage grinders in commercial premises. Discharges from existing installations in hospitals and nursing homes may be permitted, provided that wastewater is discharged through an adequately sized grease arrestor (additional charges will be applied).

If the kitchen is refurbished, the food waste disposal unit must be removed.

- **Alkaline hydrolysis waste**, process where a human or animal tissue is broken down using alkaline solutions at elevated temperatures and pH. The process may be used in animal care facilities, veterinary premises, animal research laboratories, funeral parlours etc. The generated wastewater is of a high strength and may exhibit high loadings on the sewerage system. Accordingly, the wastewater generated by this process is **not** permitted to be discharged to the sewerage system.

C6.1 Discharge from Solid Food Waste Processing Units (digesters/ composters, etc.)

Discharge from a solid food waste processing unit (digesters/composters, etc) to a Council's sewerage system is a Concurrence Classification C discharge (ie. Charging Category 3), hence Council needs to obtain concurrence to its approval from the department for individual applications.

The quality of wastewater from this equipment depends on the type of solid waste feed into it and the effectiveness of the on-site pre-treatment, hence frequent sampling will be required for monitoring and charging purposes. Sampling needs to be undertaken by either a Council officer or an independent party acceptable to Council.

Appropriate on-site pre-treatment needs to be provided prior to combining with any other liquid waste stream that discharges to the Council's sewerage system.

Each application will be assessed on a case by case basis.

C7 Use of additives in pre-treatment systems

The use of bacterial, enzyme and/or odour controlling agents in pre-treatment equipment (eg. in grease arrestors) is prohibited unless specifically approved by Council with the department's concurrence.

C8 Discharge of disposable products marketed as flushable

Any disposable solid products including those marketed as "flushable" (eg. wet wipes, cleaning wipes, cat litter, etc.) is not permitted to flush down the sewerage system.

Contrary to manufacturers' claims, flushable wet wipes do not breakdown in the sewerage system similarly to a toilet paper and may cause blockages within the premises or in the Council's sewerage system and may cause raw sewage overflow to the environment.

Appendix D - Non-residential sewerage and liquid trade waste fees and charges

This Appendix provides information on Council's charging criteria for liquid trade waste customers. Some guidance is also provided on the applicable non-residential sewerage charges.

The best practice pricing for non-residential sewerage and liquid trade waste services are to ensure that liquid trade waste dischargers pay a fair share of the cost of sewerage services provided by Council. Appropriate pricing is essential to provide relevant pricing signals to non-residential and liquid trade waste customers to use water and sewerage system efficiently.

D1 Non-residential sewerage pricing¹¹

A non-residential sewerage bill is based on a cost-reflective two-part tariff with an annual access charge and a uniform sewer usage charge per kL. The total discharged volume to the sewerage system can be either measured (by a flow meter) or estimated using the customer's total water consumption multiplied by a sewer discharge factor.

The sewerage bill for a non-residential customer is calculated as follows:

$$B = SDF \times (AC + C \times UC)$$

Where: B = Annual non-residential sewerage bill (\$)
 C = Customer's water annual consumption (kL)
 AC = Annual non-residential sewerage access charge as shown below (\$)
 SDF = Sewer discharge factor
 UC = Sewer usage charge (\$/kL)

Access charge

The sewerage access charge is proportional to the square of the size of the water supply service connection.

$$AC = \left(AC_{20} \times \frac{D^2}{400} \right)$$

Where: AC₂₀ = Annual non-residential sewerage access charge for 20 mm water service connection (\$)
 D = Water supply service connection size (mm)

Sewer Usage charge


The sewer usage charge (\$/kL) is applied for the total volume of wastewater discharged to the sewerage system.

¹¹ Detailed guidance for calculation of non-residential sewerage prices are provided in the Department's Water Supply, Sewerage and Trade Waste Pricing Guidelines, 2002, Department of Land and Water Conservation

D2 Liquid Trade Waste fees and charges

This section describes various fees and charges associated with liquid trade waste and fees and charges applicable to charging categories. Figure 1 shows the relationship between concurrence classifications and charging categories.

Figure 1 Charging categories for liquid trade waste



In summary, Classification A discharges fall into Charging Category 1 or Category 2. Classification B discharges fall into Charging Category 2, except for a few discharges with low impact on the sewerage system which fall into Category 1. Classification S discharges fall into Charging Category 2S and Classification C discharges fall into Charging Category 3.

D2.1 Description of various trade waste fees and charges

Followings sections describe various trade waste fees and charges and the methodology of calculating them.

D2.1.1 Application fee

The application fee recovers the costs of administration and technical services provided by Council in processing a liquid trade waste application. This fee varies for different charging categories to reflect the complexity of processing the application. Application fees will be set annually by Council

D2.1.2 Annual trade waste fee

The purpose of this fee is to recover the costs incurred by Council for ongoing administration and scheduled inspections, in order to ensure that the discharge complies with the approval conditions.

As part of an inspection, Council may undertake monitoring which may include, but is not limited to, flow measurement and the sampling. In general, cost of one inspection is included in the annual fee, in particular for Category 1 and 2 discharges.

Annual liquid trade waste fee varies for different charging categories in order to reflect the complexity of their inspection and administration requirements. In particular, for Category 3 discharges, Council may opt to set the annual fee on a case by case basis to reflect the complexity of monitoring requirements and the extent of inspection.

Refer to section D8.4 with regard to annual fees applicable to premises with **multiple activities**.

Council may require a discharger to pay for monitoring (quantity and quality) based on full cost recovery.

D2.1.3 Inspection fee/re-inspection fee

Cost of one inspection is usually included in annual liquid trade waste fee for charging categories 1 and 2.

However, it may be required to conduct un-planned inspections or re-inspections of a premise (e.g. non-compliance with approved conditions, investigating an accident, etc.). Also, more frequent inspections may be necessary for large and industrial discharges.

Where **more than one inspection** is undertaken in a financial year and/or the cost of inspections is not included in the annual fee, the cost may be recovered from the discharger as the re-inspection fee.

Council may recover the cost of sample analysis from the discharger, in addition to the re-inspection fee.

D2.1.4 Renewal fee

Council may apply a renewal fee if an existing approval needs to be renewed or modified.

D2.1.5 Category specific charges

The following sections describe the charging categories and relevant fees and charges. If a discharge is not listed, Council will determine (with the consultation of the department) the relevant charging category, based on the quality and the quantity of discharge.

D3 Category 1 discharger

This charging category includes:

- Classification A discharges (both commercial retail non-oily/greasy food preparation and other commercial discharges, listed below)
- Classifications B discharges identified as low risk.

Some of the above discharges may require prescribed pre-treatment to be installed however, the treated effluent is considered to have a low impact on the sewerage system.

Classification A discharges – commercial retail food preparation activities that do not generate or generate minimal oily/greasy waste: bakery (only bread baked on-site), bistro (sandwiches, coffee only), boarding/hostel < 10 persons, café/coffee shop/coffee lounge (no hot food), canteen/cafeteria (no hot food), community hall/civic centre (minimal food), day care centre (minimal hot food), delicatessen (minimal or no hot food), fruit and vegetable shop, hotel/motel (minimal hot food), ice cream parlour (take away only), juice bar, mobile food van (no hot food), mixed business (minimal hot food), nightclub (no hot food), nut shop, pie shop (re-heating only), pizza no cooking/reheating (pizza heated and sold for consumption off-site), potato peeling (small operation), sandwich shop/salad bar/snack bar (no hot food), take away food outlet (no hot food), school canteen with minimal hot food.

Classification A discharges from other commercial activities: animal wash, beautician/tanning booths/hairdressing, crafts ≤ 1,000 L/d, dental surgery/dental technician (plaster casts), dry cleaning, florist, funeral parlour, jewellery shop, medical centre/physiotherapy (plaster casts), mobile cleaning units, morgue, optical service, pet shop, plants retail (no nursery), non-residential swimming pool/hydrotherapy, veterinary.

Classification A or B discharges with prescribed pre-treatment and low impact on the sewerage system: boiler blowdown, cooling tower, industrial boilers, laboratory (analytical/pathology/tertiary institution), laundry/laundromat, primary and secondary school¹², vehicle washing/detailing (excluding truck washing).

D3.1 Category 1 discharger - Liquid trade waste charges

D3.1.1 “Deemed to be approved” discharges

For a discharger in “Deemed to be approved discharges” (refer to Appendix B), following charges will be applicable

Annual Trade Waste Fee -Classification A (Low Risk) – Category 1 Dischargers refer to NSC annual fees and charges on Council's website

¹² If significant hot food preparation is carried out, Category 2 charges may be levied by Council.

D3.1.2 Category 1 discharger, other than “deemed to be approved”

Category 1 discharger who installs recommended appropriate pre-treatment equipment and maintains them regularly will be required to pay **only** the annual fee nominated for Category 1.

Liquid trade waste bill for Category 1 discharger (TW_1)

$$TW_1 = A_1$$

A_1 = Annual liquid trade waste fee (\$) for Category 1

D4 Category 2 discharger

Category 2 liquid trade waste dischargers are those discharging waste generated by an activity listed below:

Classification A discharges – commercial retail food preparation/serving activities that generate oily/greasy waste: bakery (pies, sausage rolls, quiches, cakes, pastries with creams or custards), bistro, boarding house/hostel kitchen (exceeding 10 persons), butcher, café/coffee shop/coffee lounge (with hot food), cafeteria/ canteen (with hot food), chicken/poultry shop –fresh/roast, retail BBQ/charcoal chicken, day care centre with hot food, club, civic centre/community hall¹³, commercial kitchen/caterer, delicatessen with hot food, fast food outlet, fish shop (retail and cooking on-site), function centre, hotel, ice cream parlour, mixed business (hot food), mobile food van (base), motel, nightclub, nursing home, patisserie, pizza cooking, restaurant, sandwich shop/salad bar/snack bar (with hot food), supermarket, take away food outlet with hot food, school canteen with hot food.

Classification A discharges – other commercial discharges: car detailing, craft activities > 1000 L/d, lawnmower repairs, mechanical workshop, stone working, surfboard manufacture (wet process only).

Classification B discharges: auto dismantler, bus/coach depot, bakery (wholesale), butcher (wholesale) construction equipment maintenance and cleaning, boutique or artisan foods, engine reconditioning, equipment hire, maintenance and cleaning, fish co-op, graphic arts, hospital, micro-brewery, oyster processing – shucking, panel beating, radiator repairer, screen printing, service station forecourt, shopping complex, truck washing (platforms/flat beds) and truck washing (external).

D4.1 Category 2 discharger - Liquid trade waste charges

Category 2 discharger who installs appropriate pre-treatment equipment and maintains them will pay annual fee nominated for Category 2 plus the trade waste usage charge.

Liquid trade waste bill for Category 2 discharger (TW_2),

$$TW_2 = A_2 + Q_{TW} \times C_2$$

A_2 = Annual liquid trade waste fee (\$) for Category 2

Q_{TW} = Total liquid trade waste discharge volume (kL)

C_2 = Trade waste usage charge (\$/kL)

The liquid trade waste discharge volume is generally estimated by applying a Trade Waste Discharge Factor (TWDF) to the total water consumption unless a discharge meter is installed.

¹³ If the type and size of kitchen fixtures installed enable catering for large functions.

D5 Category 2S discharger

Category 2S dischargers include:

- **transporters who tanker human waste ** Note Narromine Shire Council's STWs - do not accept Tankered human waste.**
- **owners/operators of 'dump points'** directly connected to the sewer for disposal toilet waste and/or grey water from a bus or a recreation vehicle (RV), e.g. caravan, motor home.

D5.1 Category 2S discharger - Liquid trade waste charges

D5.1.1 Waste dump points

Dump points are often located in public places (roadside), hence the monitoring of discharge volumes is not practical. Accordingly, only an annual fee is applied for stand-alone dump points.

Liquid trade waste bill for dump point operator (TW_{DP}) (if applicable),

$$TW_{DP} = A_{DP}$$

A_{DP} = Annual fee for dump point (\$)

D6 Category 3 discharger

Category 3 liquid trade waste dischargers are those conducting an activity which is of an industrial nature and/or which results in the discharge of large volumes of liquid trade waste to the sewerage system. Any Category 1 or 2 discharger whose volume exceeds the limits shown below becomes a Category 3 discharger (excluding shopping centres and institutions):

Classification A discharge > 20 kL/d

Classification B discharge – as shown in Chapter 5 of the Guidelines.

Classification C discharges include: abattoir, acid pickling, adhesive/latex manufacture, agricultural and veterinary drugs, anodising, bitumen and tar, bottle washing, brewery, cardboard and carton manufacture, carpet manufacture, caustic degreasing, chemicals manufacture and repackaging, contaminated site treatment, cooling towers, cosmetics/perfumes manufacture, cyanide hardening, dairy processing* (milk/cheese/yoghurt/ice cream, etc.), detergent/soaps manufacture, drum washing, egg processing, electroplating, extrusion and moulding (plastic/metal), feather washing, fellmonger, felt manufacture, fertilisers manufacture, fibreglass manufacture, filter cleaning, foundry, food processing* (cereals/cannery/condiments/confectionary/edible oils/fats/essence/flavours/fish/fruit juice/gelatine/honey/meat/pickles/smallgoods/tea and coffee/vinegar/yeast manufacture, etc.), food waste processing unit (digester/composter), fruit and vegetable processing, flour milling, galvanising, glass manufacture, glue manufacturer, ink manufacture, laboratories (excluding those in Category 1 & 2), liquid wastewater treatment facility (grease trap receival depot and other pump-out waste depot), metal finishing, metal processing (refining/rumbling/non-cyanide heat treatment/phosphating/photo engraving/printed circuit etching/sheet metal fabrication etc.), mirrors manufacture, oil recycling (petrochemical) and refinery, paint stripping, paint manufacture, paper manufacture, pet food processing, plants nursery (open areas), pharmaceuticals manufacture, plaster manufacture, powder coating, potato processing, poultry processing, printing (newspaper, lithographic).

Saleyards, sandblasting, seafood processing, slipway, soft drink/cordial manufacture, starch manufacture, sugar refinery, tanker washing, tannery, timber processing (joinery and furniture/plywood/hardwood), textile manufacture (wool dyeing/spinning/scouring), tip leachate, transport depot/ terminal, truck washing (internal), waxes and polishes, water treatment backwash, wholesale meat processing, winery, distillery, wine/spirit bottling.

* Excluding small boutique, craft or artisan food industries not exceeding the discharge volume shown in the *Liquid Trade Waste Management Guidelines, 2021*.

D6.1 Category 3 discharger - Liquid trade waste charges

D6.1.1 Excess mass charges

Category 3 discharger will be required to pay the annual liquid trade waste fee plus excess mass charges.

Liquid trade waste bill for Category 3 discharger (TW_3),

$$TW_3 = A_3 + EMC$$

A_3 = Annual liquid trade waste fee (\$) **

EMC = Excess mass charges (\$)

Note: **Annual fee may vary for different business activities, depending on the complexity and time taken for inspection.

How excess mass charges are calculated

Excess mass charges will be applicable for substances discharged in excess of the 'Deemed Concentrations' in domestic sewage. For the purpose of excess mass charge calculation, the deemed concentrations of substances in domestic sewage are listed in Table D1.

Table D1 Deemed concentration of substances in domestic sewage

Substance	Concentration (mg/L)
Biochemical Oxygen Demand (BOD ₅)	300
Suspended Solids	300
Total Oil and Grease	50
Ammonia (as Nitrogen)	35
Total Kjeldahl Nitrogen	50
Total Phosphorus	10
Total Dissolved Solids	1000
Sulphate (SO ₄)	50 [#]

[#] The concentration in the potable water supply to be used if it is higher than 50 mg/L.

NB. Substances not listed above are deemed not to be present in domestic sewage.

For excess mass charge calculation, equation (1) below will be applied for all parameters including for BOD₅ up to 600 mg/L (but excluding COD and pH).

$$\text{EMC (\$)} = \frac{(S - D) \times Q_{\text{TW}} \times U}{1,000}$$

(1)

Where: S = Concentration (mg/L) of substance in sample
 D = Concentration (mg/L) of substance deemed to be present in domestic sewage
 Q_{TW} = Volume (kL) of liquid trade waste discharged to the sewerage system
 U = Unit charging rate (\$/kg) for the substance (note that this rate varies from substance to substance. Refer to Council's annual Operational Plan Fees and Charges for charging rates for various substances)

D6.1.2 Excess mass charges for BOD

BOD up to 600 mg/L

Equation (1) applies for BOD₅ up to 600 mg/L. Note that there are no excess mass charges if the BOD does not exceed 300 mg/L (deemed concentration of BOD in domestic sewage).

Excess mass charges for BOD exceeding 600mg/L

If Council approves the acceptance limits for BOD₅ higher than 600mg/L, an exponential type equation will be used for calculation of the charging rate U_e (\$/kg) as shown in equation (2). This provides a strong incentive for dischargers to reduce the strength of waste. Note that equation (5) will be used where the discharger has failed to meet their approved BOD limit on more than two instances in a financial year.

U_e is the excess mass charging rate U_e (\$/kg) for BOD is calculated as:

$$U_e = 2C \times \frac{(\text{Actual BOD} - 300\text{mg/L})}{600\text{mg/L}} \times 1.05^{\frac{(\text{Actual BOD} - 600\text{mg/L})}{600\text{mg/L}}} \quad (2)$$

Where: C = Charging rate (\$/kg) for BOD₅ 600mg/L

Actual BOD= Concentration of BOD₅ as measured in a sample

D6.2 Tankered Category 3 waste

Narromine Shire Council does not accept Tankered Liquid waste at any of its sewage treatment facilities.

D7 Non-compliance liquid trade waste charges

Non-compliance charges for Category 1 and 2 dischargers

If the discharger has not installed or maintained appropriate pre-treatment equipment, the following non-compliance trade waste usage charges will be applied for the relevant billing period:

D7.1 Category 1 discharger - non-compliance charges

The trade waste usage charge (\$/kL) per Council's Operational Management Plan Annual Fees and Charges will be applied.

D7.2 Category 2 discharger – non-compliance charges

For Category 2 discharger, a non-compliance charge will be 5 times the Trade Waste Usage Charge as outlined in the Council's Operational Management Plan Annual Fees and Charges

Dischargers who have an undersized grease arrestor and improved the effluent quality by other means (e.g. increased pump-outs, installing additional pre-treatment equipment, etc.) will pay a trade waste usage charges in accordance with a Category 2 discharger.

Dischargers who cannot install a grease arrestor or those who have an arrestor with capacity significantly less than the required size and are unable to improve the effluent quality by means described above will have to pay non-compliance trade waste usage charges, 5 Times the Trade Waste Usage Charge as described in the NSC Operational Management Plan Annual Fees and Charges.

D7.3 Non-compliance charges for Category 3 discharger

If a discharger in charging Category 3 fails to comply with the acceptance limits specified in Council's approval conditions, following non-compliance charges will be applicable.

D7.3.1 Non-compliance pH charge

If the pH of the waste discharge by Category 3 discharger is outside the approved range, equation (3) is used for the calculation of non-compliance pH charges. This equation provides an incentive for dischargers to install and properly maintain a pH correction system, so their waste remains within the approved pH limits.

Charging rate for pH, if outside the approved range =

$$K \times \left| \text{actual pH} - \text{approved pH} \right|^{\#} \times 2^{\left| \text{actual pH} - \text{approved pH} \right|^{\#}} \quad (3)$$

Absolute value to be used.

K = pH coefficient in \$

Example 4:

Council has approved the pH range 7.0 to 9.0 for a large discharger. pH coefficient (K) listed in Council's Operational Plan Annual Plan Fees and Charges is \$0.45

Case 1: pH measured 6.0

$$\text{Charging rate for pH (\$/kL)} = 0.45 \times \left| 6 - 7 \right|^{\#} \times 2^{\left| 6 - 7 \right|^{\#}} = \$0.90/\text{kL}$$

Case 2: pH measured 11.0

$$\text{Charging rate for pH (\$/kL)} = 0.45 \times \left| 11 - 9 \right|^{\#} \times 2^{\left| 11 - 9 \right|^{\#}} = \$3.60/\text{kL}$$

Absolute value to be used.

D7.3.2 Non-compliance excess mass charges

Equation (4) shall apply for non-compliance excess mass charges for various substances, except for BOD₅ where equation (5) shall apply to calculate the charging rate.

$$\text{Non-compliance Excess Mass Charges (\$)} = \frac{(S-A) \times Q \times 2U}{1000} + \frac{(S-D) \times Q \times U}{1000} \quad (4)$$

Where: S = Concentration (mg/L) of a substance in sample

A = Approved maximum concentration (mg/L) of pollutant as specified in Council's approval (or liquid trade waste policy)

Q = Volume (kL) of liquid trade waste discharged for the period of non-compliance

U = Excess mass charging rate (\$/kg) for the substance, as shown in Council's annual Operational Plan Annual Fees and Charges

D = Concentration (mg/L) of the substance deemed to be present in domestic sewage

D7.3.3 Non-compliance excess mass charges for BOD

The non-compliance excess mass charging rate (U_n) for BOD₅ is calculated by using equation (5):

U_n is the BOD₅ non-compliance excess mass charging rate in (\$/kL).

$$U_n = 2C \times \frac{(A - 300\text{mg/L})}{600\text{mg/L}} \times 1.05^{\frac{(A - 600\text{mg/L})}{600\text{mg/L}}} + 4C \times \frac{(\text{Actual BOD} - A)}{600 \text{ mg/L}} \times 1.05^{\frac{(\text{Actual BOD} - A)}{600\text{mg/L}}} \quad (5)$$

D8 Other applicable liquid trade waste charges

D8.1 Garbage grinders - Food waste disposal charge¹⁴

Additional charges will apply for a food waste disposal unit (in-sink food waste disposers/garbage grinders) in an **existing** hospital, nursing home or other eligible facility where Council has permitted such installation.

These charges are in addition to category specific liquid trade waste fees and charges (e.g. Category 2 charges plus U_F), as shown below:

$$\text{Food waste disposal charge (\$)} = B \times U_F$$

Where: B = Number of beds in hospital or nursing home.

U_F = Annual charging rate (\$/bed) for a food waste disposal unit at a hospital or nursing home.

¹⁴ For existing installations of garbage grinders only. New installations are not permitted.

D8.2 Solid food waste processing unit

Discharge of waste from a solid food waste processing unit (digester/composter) is classified as Concurrence Classification C and is in charging Category 3.

Excess mass charges for all parameters in excess of the deemed concentrations in domestic sewage and non-compliance charges, above the Council's acceptance limits, will be applicable to the waste stream from such equipment (refer s. D6.1 for further information).

In addition, the discharger needs to bear the cost of frequent sampling as the quality of wastewater dependent on the solid waste input to the processing unit and the effectiveness of the on-site pre-treatment equipment.

D8.3 Discharge of stormwater from large open areas or large quantities of groundwater to the sewerage system

The discharge of roof, rain, surface, seepage or ground water to the sewerage system is prohibited under clause 137A of the Local Government (General) Regulation 2021 and this policy. Consideration will be given to the acceptance of limited quantities of contaminated stormwater (first flush stormwater) based on a case-by-case assessment.

If stormwater run-off from a large areas or groundwater is approved for discharge to sewer for a Category 3 discharger (e.g. saleyards), a volume-based charge similar to the non-compliance usage charging rate (\$/kL) for Category 2 will be applied (e.g. 5 times of Usage charging rate listed in Council's Operational Management Plan Annual Fees and Charges). Excess mass charges may be also applied to such discharges.

D8.4 Charges for premises with multiple liquid trade waste streams

Examples of premises with multiple waste streams include:

- shopping centres
- commercial strata units
- institutions, e.g. hospitals, tertiary educational facilities and correctional centres
- other premises with multiple waste streams, e.g. premises comprising food cooking/serving activities and "Boutique/artisan food" businesses. For example, a liquid trade waste application may include a restaurant or a hotel, a microbrewery, a chocolate making and/or a cheese making shops, all located on the same site.

D8.4.1 Shopping centre

Council will apply trade waste usage charge based on the estimated trade waste discharge volume.

Inspections	Annual fees
No inspections	No fees
Annual inspection	Reduced annual fees (for example, 50% of Category 1 annual fees)

D8.4.2 Commercial strata title units

Councils will issue individual liquid trade waste bills to each owner of the strata title unit.

D8.4.3 Hospitals, tertiary educational facilities and correctional centres

Council will generally issue a liquid trade waste bill to the management of the above premises.

This charge is generally in line with Narromine Shire Council's Category 2 for Hospitals and Educational facilities. Correctional facilities that undertake industrial activities may be deemed a category 3 Discharger

Council will apply trade waste usage charge based on the estimated trade waste discharge volume.

If food preparation activities are carried out by an outside contractor, e.g. take away food outlets in the educational facilities. Council may issue a separate liquid trade waste bill to such individual shops, where practical. It may require an individual water meter or a check meter to be installed at the relevant service line.

D8.4.4 Other premises with multiple waste streams

There are some premises where various "boutique type" businesses are located on the same site as restaurants, café, etc. For example, a premise may include a restaurant, a microbrewery, a chocolate making shop and a cheese making business, all owned by the same owner. When a liquid trade waste application includes a few different activities on the same site, Council will assess the application and determine the relevant charging categories and applicable fees and charges.

Appendix E – List of discharges Council may approve

E1 Classification A

Discharges from activities that Council can process without seeking Department concurrence, subject to complying with certain requirements.

Food preparation/serving, generating liquid waste, up to 16 kL/day	Other Activities generating liquid waste, up to 5 kL/day
Bakery (retail)	Animal wash (pound, stables, racecourse, kennels, mobile animal wash)
Bed and Breakfast (<10 persons)	Beautician
Bistro	Boiler blowdown
Boarding house/hostel kitchen	Car detailing
Butcher (retail)	Cooling towers
Café/coffee shop/coffee lounge	Craft activities (pottery, ceramics, cutting and polishing of gemstones or making of jewellery)
Canteen	Dental surgery
Cafeteria	Dental technician
Chicken/poultry shop (fresh chicken/game, retail, barbeque/roast chicken)	Dry-cleaning (separator water, boiler)
Club (kitchen wastes)	Florist
Commercial kitchen/caterer	Funeral parlour/morgue
Community hall/civic centre/function centre (kitchen waste)	Hairdressing
Day care centre	Jewellery shop
Delicatessen	Laboratory (pathology/analytical)
Doughnut shops	Laundry or laundromat (coin operated)
Fast food outlets (McDonalds, KFC, Burger King, Hungry Jack, Pizza Hut, Red Rooster, etc.)	Lawnmower repairs
Fish shop (retail—fresh and/or cooked)	Mechanical repairs/workshop
Fruit and vegetable shop (retail)	Medical centre/doctor surgery/physiotherapy—plaster of paris casts, laboratory
Hotel	Mobile cleaning units
Ice-cream parlour	Nursing home (other than food-related activities)
Juice bar	Optical services
Mixed business	Per shop (retail)

Food preparation/serving, generating liquid waste, up to 16 kL/day	Other Activities generating liquid waste, up to 5 kL/day
Mobile food van	Photographic tray work/manual development
Motel	Plants retail (no nursery or open space)
Nightclub	School (other than kitchen waste)
Nursing home kitchen	Stone working
Nut shop	Surfboard manufacturing (wet process only)
Patisserie	Swimming pools/spas/hydrotherapy pools
Pie shop	Vehicle (car) washing (by hand/wand, automatic car wash/bus wash/external truck wash or underbody/engine degrease only)
Pizza shop	Venetian blind cleaning
Restaurant	Veterinary surgery
Salad bar	
Sandwich shop	
School – canteen, home science	
Snack bar	
Supermarket (with butcher/bakery/delicatessen/seafood or roasted chicken)	
Take away food shop	

Appendix F - Framework for regulation of liquid trade waste

F1 The NSW framework for regulation of sewerage and trade waste

The NSW framework is driven by the NSW Government's Best Practice Management of Water Supply and Sewerage Guidelines, 2007. Sound regulation of sewerage and liquid trade waste is a key element of the 2007 guidelines, and requires each Council to implement all the following integrated measures:

1. Preparation and implementation of a sound trade waste regulation policy, assessment of each trade waste application and determination of appropriate conditions of approval. The conditions must be consistent with the LWU's Integrated Water Cycle Management Strategy and demand management plan. In addition, execution of a liquid trade waste services agreement is required for large dischargers to assure compliance.
2. Preparation and implementation of a sound Development Servicing Plan, with commercial sewerage developer charges to ensure new development pays a fair share of the cost of the required infrastructure.
3. Full cost recovery with appropriate sewer usage charges and trade waste fees and charges in order to provide the necessary pricing signals to dischargers. These charges must include non-compliance trade waste usage charges and non-compliance excess mass charges in order to provide the necessary incentives for dischargers to consistently comply with their conditions of approval.
4. Monitoring, mentoring and coaching of dischargers in order to achieve cleaner production and assist them to comply with their conditions of approval.
5. Enforcement, including appropriate use of penalty notices in the NSW legislation. Orders may also be issued under the Local Government Act 1993.
6. Disconnection of a trade waste service in the event of persistent failure to comply with the LWU's conditions of approval.

Together, the above six measures comprise the NSW framework for regulation of sewerage and trade waste. The framework involves a preventive risk management approach, which has been developed to address the use of common pool resources by providing economic incentives for dischargers to minimise their waste and to consistently comply with their conditions of approval.

F2 Alignment with the national framework for wastewater source management

The NSW framework for regulation of sewerage and trade waste is outlined in section 3.1. The NSW framework is driven by the NSW Government's Best-Practice Management of Water Supply of Sewerage Guidelines, 2007 and is consistent with that in the National Framework for Wastewater Source Management.¹⁵

In particular, under the Best-Practice Management Guidelines each LWU is required to achieve the following outcomes:

- Prepare and implement a 30-year Integrated Water Cycle Management Strategy, demand management plan, pay-for-use water supply pricing and community and customer involvement (Elements 1, 6, 8)
- Annual performance monitoring, including an annual triple bottom line (TBL) Performance Report and Action Plan to identify and address any areas of under-performance (Elements 5, 6, 9, 10, 11, 12)
- Achieve full cost recovery for water supply, sewerage and trade waste services and apply an appropriate non-residential sewer usage charge (Elements 3, 8)
- Prepare and implement a sound trade waste regulation policy and issue an appropriate approval to each trade waste discharger, including waste minimisation and cleaner production (Elements 1, 2, 3, 4, 7, 8)
- Appropriate trade waste fees and charges (including incentives to comply with LWU's approval conditions through non-compliance trade waste usage charges and non-compliance excess mass charges) (Elements 3, 8)
- Trade waste services agreement for large dischargers to assure compliance (Elements 3, 8)

¹⁵ The following 12 elements of the *National Framework for Sewage Quality Management* are set out on page 18 of the *Australian Sewage Quality Management Guidelines, June 2012, WSAA*:

COMMITMENT

1. Commitment to Wastewater Source Management

SYSTEM ANALYSIS and MANAGEMENT

2. Assessment of the Wastewater System
3. Preventive Measures for Wastewater Input Quality Management
4. Operational Procedures and Process Control
5. Verification of Wastewater Inputs Quality
6. Management of Incidents/Complaints and Emergencies

SUPPORTING REQUIREMENTS

7. Employee Awareness and Training
8. Customer and stakeholder involvement and awareness
9. System Validation and Research and Development
10. Documentation and Reporting

REVIEW

11. Evaluation and Audit
12. Review and Continual Improvement

- Appropriate training of LWU staff and monitoring, mentoring and coaching of trade waste dischargers (Elements 1, 4, 5, 7, 8)
- Enforcement, including appropriate use of penalty notices or orders (Elements 3, 8)
- Disconnection of a trade waste service in the event of persistent failure to comply with the LWU's conditions of approval (Element 8).

DRAFT

Appendix G – Legislative provisions

Provisions in the Local Government (General) Regulation 2021 in regard to acceptance of liquid trade waste into the sewerage system

Clause 25 Matters to accompany applications relating to discharge into sewers

An application for approval to discharge trade waste into a sewer under the control of a Council or that connects with such a sewer must be accompanied by the information required by Table 1 to the Liquid Trade Waste Management Guidelines#.

Clause 28 Approval to discharge waste into sewers: concurrence required

A Council must not grant an approval under section 68 of the Act to discharge trade waste (whether treated or not) into a sewer of the Council unless the Director-General* of the Department of Trade and Investment, Regional Infrastructure and Services (or that Director-General's nominee) has concurred with the approval.

Note: Section 90 (2) of the Act permits any person or authority whose concurrence is required before an approval may be granted to give the Council notice that the concurrence may be assumed (with such qualifications or conditions as are specified in the notice).

Clause 32 Disposal of trade waste

- (1) An approval to dispose of trade waste into a sewer of the Council is subject to such conditions (if any) as the Council specifies in the approval.
- (2) In imposing any such conditions, the Council is to have regard to the matter set out in Table 5 to the Liquid Trade Waste Management Guidelines#.

Clause 159 Prevention of waste and misuse of water

The owner, occupier or manager of premises to which water is supplied by the Council must:

- (a) prevent waste of water by taking prompt action to repair leaking taps, pipes or fittings located on the premises
- (b) take any other action that is reasonable to prevent waste and misuse of water.

137A Substances prohibited from being discharged into public sewers

- (1) For the purposes of section 638 of the Act (Discharge of prohibited matter into sewer or drain), roof, rain, surface, seepage or ground water is prescribed as prohibited matter.
- (2) This clause does not apply in relation to:
 - (a) a discharge that is specifically approved under section 68 of the Act, or
 - (b) a discharge into a public drain or a gutter of a Council, or
 - (c) a discharge in an area of operations within the meaning of the Sydney Water Act 1994 or the Hunter Water Act 1991 .

143 Inspection of pipes and drains and measurement of water and sewage

- (1) The Council may, at any reasonable time:
 - (a) inspect any service pipe connected to a water main, and
 - (b) inspect any drain connected to a sewer main, and

* In accordance with the *Government Sector Employment Act 2013*, this is the Secretary of the NSW Department of Industry.

- (c) install meters or other devices for measuring the quantity of water supplied to, or the quality and quantity of sewage discharged from, premises, and
- (d) measure the quantity of water supplied to, or the quality and quantity of sewage discharged from, premises, and
- (e) inspect any pre-treatment devices connected to the Council's sewerage system.
- (2) The occupier of the relevant premises must provide to the Council such information as it requires to enable it to estimate the quantity of water actually supplied to, or the quality and quantity of sewage actually discharged from, the premises.
- (3) In this clause, **"pre-treatment device"** means any device used to reduce or eliminate contaminants in trade waste, or to alter the waste's nature, before it is discharged into a sewer.

SCHEDULE 12 – Penalty notice offences

Column 1	Column 2
Offence under <u>Local Government Act 1993</u>	Penalty
<u>Section 626</u> (3)-carry out without prior approval of Council an activity specified in item 4 of Part C (Management of waste) of the Table to <u>section 68</u>	\$330
<u>Section 627</u> (3)-having obtained the Council's approval to the carrying out of an activity specified in item 4 of Part C (Management of waste) of the Table to <u>section 68</u> , carry out the activity otherwise than in accordance with the terms of that approval	\$330

"Liquid Trade Waste Management Guidelines" means the Guidelines of that name produced by the Department of Energy, Utilities and Sustainability in March 2005, as in force from time to time. The 2005 Guidelines have now been superseded by Liquid Trade Waste Management Guidelines, 2021.

ATTACHMENT 1 – SAMPLE LIQUID TRADE WASTE SERVICE AGREEMENT BETWEEN NARROMINE SHIRE COUNCIL AND [APPLICANT]

Liquid Trade Waste Services Agreement

Between

1. The Narromine Shire Council (The Council)

and

2. **Name** (The Applicant)

Recitals

- A. The Council is the owner and operator of a sewerage system within the Narromine Shire Council Local Government Area.
- B. The Applicant has made application to the Council to discharge liquid trade waste from the Premises into the Council's sewerage system.
- C. The application has been approved by the Council on certain conditions ("the Approval"), including the condition that the Council and the Applicant enter into this Agreement.
- D. The Secretary of the NSW Department of Planning and Environment has concurred in the Approval in accordance with clause 28 of the Local Government (General) Regulation 2021.
- E. The Approval does not operate until this Agreement has been executed by both parties.
- F. The parties enter this Agreement in consideration of the mutual promises contained herein.

Operative Part

1. Definitions and interpretation

1.1 In this Agreement, unless the context otherwise requires:

"Act" means the *Local Government Act 1993* (NSW).

"Annexure" means the annexure to this Agreement.

"Applicant" means the entity named as such in the Annexure.

"Approval" means the approval described in Recital C.

"Council" means the Council named as such in the Annexure.

"Liquid Trade Waste Services" mean the making available by the Council of its sewerage system for connection to the Premises, for the purpose of discharge by the Applicant of its liquid trade waste.

"Premises" means the premises described in the Annexure.

1.2 Unless the context otherwise requires:

- (a) A reference to this Agreement is a reference to this Agreement, including the Annexure, as amended from time to time in accordance with its terms
- (b) A reference to the discharge of liquid trade waste means the discharge of liquid trade waste by the Applicant from the Premises to the Council's sewerage system
- (c) A reference to any legislation is a reference to such legislation as amended from time to time
- (d) Where the Applicant is comprised of more than one person, each obligation of the Applicant will bind those persons jointly and severally and will be enforceable against them jointly and severally.

2. Liquid Trade Waste Services

The Council will provide the Liquid Trade Waste Services to the Applicant on the terms of this Agreement.

3. Additional conditions for discharge of liquid trade waste

- 3.1 The Applicant may discharge liquid trade waste to the Council's sewerage system in accordance with the Approval and subject to this Agreement.
- 3.2 The Applicant must comply with all applicable Acts, regulations, by laws, proclamations and orders and with any lawful direction or order given by or for the Council or any other competent authority.
- 3.3 The Applicant must not discharge liquid trade waste contrary to this Agreement or the Approval or in any manner which may have an adverse effect on any person or property (including the sewerage system and the ecological system in the waters, land or area receiving sewage treatment works effluent or biosolids), or which may cause the Council to be in breach of any applicable Act, regulation, by law, proclamation or order or of any lawful direction given by or for any competent authority.
- 3.4 The Applicant must at its own cost monitor its discharges in accordance with the requirements set out in the Approval and must maintain records of such monitoring for inspection by the Council for such period as may be specified in the Approval.
- 3.5 The Council will carry out routine sampling and testing of the waste stream.
- 3.6 Where any flow-metering device is installed, the Applicant must at its own cost cause the device to be calibrated at least annually by a person or company approved by the Council. The Applicant must obtain a calibration certificate and provide a copy of the certificate to the Council within one month of receiving it.
- 3.7 If the Applicant is required to cease discharging liquid trade waste for any period, then the Applicant must cease discharging such waste for the period specified.

- 3.8 Where the Applicant ceases to discharge waste in the circumstances prescribed in clause 3.7, the Council may, at its discretion, elect to refund part of the annual trade waste fee on a pro rata basis, calculated according to the period of suspension.
- 3.9 If this Agreement is terminated, the Applicant must immediately cease to discharge liquid trade waste.

4. Fees and charges

- 4.1 In accordance with the section 560 of the *Local Government Act 1993*, Council will levy all water supply, sewerage and liquid trade waste fees and charges on the owner of the property.
- 4.2 In consideration of provision of the Liquid Trade Waste Services, the fees and charges as specified in the Council's Operational Plan and notified by Council to the owner and the Applicant must be paid to the Council, including fees for sampling and testing by Council in accordance with the Approval.
- 4.3 Fees and charges payable will include both non-residential sewerage charges and liquid trade waste fees and charges.
- 4.4 All monies payable to the Council must be paid within the time specified in the notice of charge.

5. Term

- 5.1 This Agreement will commence from the date it is signed on behalf of the Council, and will continue until the Applicant's Approval is revoked or the Applicant permanently ceases to discharge liquid trade waste pursuant to the Approval, whichever is the earlier. Upon such revocation or permanent cessation of the approved activity this Agreement shall automatically terminate by operation of this clause.
- 5.2 Termination of this Agreement is without prejudice to any accrued rights or obligations of either Party.

6. Powers of the Council

- 6.1 The Council may enter the Premises at a reasonable hour in the daytime or at any hour during which business is in progress or is usually carried on at the Premises for the purpose of conducting any inspection, examination, testing, monitoring or sampling to determine whether the Applicant is complying with the conditions of this Agreement.
- 6.2 The Applicant acknowledges that the Council has statutory powers available to it under the *Local Government Act 1993* and other Acts to issue orders and directions to the Applicant in relation to the discharge of liquid trade waste. The Applicant undertakes to comply with each such order or direction that may be notified by the Council to the Applicant within the time specified for compliance in that order or direction.
- 6.3 The Applicant releases the Council from any liability to the Applicant for any loss or damage due to the disruption of the Applicant's business arising out of the exercise of Council's rights pursuant to this clause.

7. Information supplied by the Applicant

- 7.1 The Applicant warrants that all information in its application for approval is true, complete and accurate to the best of its knowledge.
- 7.2 The Applicant must immediately notify the Council in writing of any error or omission in that information or any change to the information of which the Applicant becomes aware.
- 7.3 The Applicant must not provide any false or misleading information to the Council.

8. Indemnity

- 8.1 The Applicant indemnifies the Council from and against any claims, losses or expense (including legal costs on a solicitor and client basis) which the Council pays, suffers, incurs or is liable for as a result of:
 - (a) any unlawful, negligent, reckless or deliberately wrongful act or omission of the Applicant or its personnel or agents in connection with the discharge of liquid trade waste, including (without limitation) such acts or omissions which cause damage to property, personal injury or death
 - (b) a breach of this Agreement by the Applicant.
- 8.2 The Applicant's liability to indemnify the Council shall be reduced proportionally to the extent that any unlawful, negligent, reckless or deliberately wrongful act or omission of the Council caused or contributed to the liability or loss.

9. Insurance

The Applicant must effect and maintain for the term of this Agreement a public risk policy of insurance in the minimum of the sum specified in the Annexure and must, upon request by the Council, produce evidence of such insurance to the Council.

10. Bond

- 10.1 The Applicant must pay to the Council a bond in the sum specified in the Annexure.
- 10.2 The Council may at any time and without prior notice to the Applicant have recourse to the bond for the recovery of any sum due and owing by the Applicant to the Council.
- 10.3 Where the applicant fails to cease discharging trade waste as prescribed in clause 3.7, the Council may require the applicant to forfeit 50% of the bond.
- 10.4 The Council must return the bond to the Applicant, less any amount deducted by the Council under this clause, upon termination of this Agreement.

11. No assignment

The Applicant may not assign or otherwise transfer its rights and/or obligations under this Agreement.

12. Notices

- 12.1 A notice under this Agreement must be:
 - (a) in writing, directed to the representative of the other party as specified in the Annexure

(b) forwarded to the address, facsimile number or the email address of that representative as specified in the Annexure or the address last notified by the intended recipient to the sender.

12.2 A notice under this Agreement will be deemed to be served:

(a) in the case of delivery in person - when delivered to the recipient's address for service and a signature received as evidence of delivery

(b) in the case of delivery by post - within three business days of posting

(c) in the case of delivery by facsimile – at the time of dispatch if the sender receives a transmission report which confirms that the facsimile was sent in its entirety to the facsimile number of the recipient

(d) in the case of delivery by email, on receipt of confirmation by the recipient that the recipient has received the email.

12.3 Notwithstanding the preceding clause 12.2, if delivery or receipt of a communication is on a day which is not a business day in the place to which the communication is sent or is later than 5 pm (local time in that place) it will be deemed to have been duly given or made at 9 am (local time at that place) on the next business day in that place.

13. Variation

13.1 If the Applicant's Approval to discharge liquid trade waste from the Premises is varied, this Agreement shall be deemed to be varied in accordance with the variation made to that approval or to the fees, by operation of this clause.

13.2 In addition to automatic variation under clause 13.1, this Agreement may be varied by written agreement of the parties, provided that a variation to this Agreement that is inconsistent with:

(a) the Approval, including rights granted under, and conditions attached to, the Approval

(b) any applicable legislation; or

(c) Council's Operational Plan in respect of applicable fees and charges, shall have no force or effect.

14. Severability

If any part of this Agreement is prohibited, void, voidable, illegal or unenforceable, then that part is severed from this Agreement but without affecting the continued operation, so far as possible, of the remainder of this Agreement.

15. Applicable law

15.1 This Agreement is governed by, and must be construed in accordance with, the laws in force in the State of New South Wales.

15.2 Each party submits to the exclusive jurisdiction of the courts exercising jurisdiction in the State of New South Wales and the courts of appeal there from.

16. Rights cumulative

The rights and remedies provided under this Agreement are in addition to, and not exclusive of, any other rights or remedies provided by law.

Executed as an agreement

Execution by the Council:

NARROMINE SHIRE COUNCIL

)

(Corporate Seal)

..... was affixed this

)

.....day of 20.....

)

in the presence of:

)

.....

)

General Manager

)

and

)

.....

)

[print name of witness]

)


[signature of General Manager]

Executed by the Applicant (corporate entity):

.....

.....

[signature of witness]



)
)
 The **COMMON SEAL** of.....)
PTY LIMITED)
 was affixed thisday of)
20..... in the)
 presence of:)
)
 [name of Director]) [signature of Director]
)
 [name of Director/Secretary]) [signature of Director/Secretary]
)

Executed by the Applicant (individual):

Signed by:)
 [name of Applicant]) [signature of Applicant]
 This.....day of.....20.....)
)
 in the presence of:)
)
 [print name of witness]) [signature of witness]

ANNEXURE 1

Annexure

A. The Council

- 1. Full Name of Council _____
- 2. ABN _____
- 3. Address _____

- 4. Telephone _____
- 5. Emergency Contact _____
Telephone _____

B. The Applicant

- 1. Full Name of Applicant _____
- 2. ABN _____
- 3. Business or Trading Name _____
- 4. Address _____

- 5. Telephone _____
- 6. Emergency Contact _____
Telephone _____

C. The Premises

- 1. Lot and DP Number: Lot(S) _____ DP _____
- 2. Location _____

- 3. Description _____
- 4. Nature of Business _____

D. Notices

- Applicant's Representative _____
- Postal Address _____

- Facsimile _____
- Email _____
- Council's Representative _____
- Postal address _____

- Facsimile _____
- Email address _____

E. PUBLIC LIABILITY INSURANCE

Minimum cover: \$ _____

F. BOND \$ _____

ATTACHMENT 2 - PROVISIONS IN THE LOCAL GOVERNMENT (GENERAL) REGULATION 2021 IN REGARD TO ACCEPTANCE OF LIQUID TRADE WASTE INTO THE SEWERAGE SYSTEM

Local Government (General) Regulation 2005

Clause 25 Matters to accompany applications relating to discharge into sewers

An application for approval to discharge trade waste into a sewer under the control of a Council or that connects with such a sewer must be accompanied by the information required by Table 1 to the Liquid Trade Waste Management Guidelines#.

Clause 28 Approval to discharge waste into sewers: concurrence required

A Council must not grant an approval under [section 68](#) of [the Act](#) to discharge trade waste (whether treated or not) into a sewer of the Council unless the Director-General of the Department of Trade and Investment, Regional Infrastructure and Services (or that Director-General's nominee) has concurred with the approval.

Note: [Section 90](#) (2) of [the Act](#) permits any person or authority whose concurrence is required before an approval may be granted to give the Council notice that the concurrence may be assumed (with such qualifications or conditions as are specified in the notice).

Clause 32 Disposal of trade waste

- (1) An approval to dispose of trade waste into a sewer of the Council is subject to such conditions (if any) as the Council specifies in the approval.
- (2) In imposing any such conditions, the Council is to have regard to the matter set out in Table 5 to the Liquid Trade Waste Management Guidelines#.

Clause 159 Prevention of waste and misuse of water

The owner, occupier or manager of premises to which water is supplied by the Council must:

- (a) prevent waste of water by taking prompt action to repair leaking taps, pipes or fittings located on the premises
- (b) take any other action that is reasonable to prevent waste and misuse of water.

137A Substances prohibited from being discharged into public sewers

(1) For the purposes of [section 638](#) of [the Act](#) (Discharge of prohibited matter into sewer or drain), roof, rain, surface, seepage or ground water is prescribed as prohibited matter.

(2) This clause does not apply in relation to:

- (a) a discharge that is specifically approved under [section 68](#) of [the Act](#), or
- (b) a discharge into a public drain or a gutter of a Council, or
- (c) a discharge in an area of operations within the meaning of the [Sydney Water Act 1994](#) or the [Hunter Water Act 1991](#) .

143 Inspection of pipes and drains and measurement of water and sewage

- (1) The Council may, at any reasonable time:
- (a) inspect any service pipe connected to a water main, and
 - (b) inspect any drain connected to a sewer main, and
 - (c) install meters or other devices for measuring the quantity of water supplied to, or the quality and quantity of sewage discharged from, premises, and
 - (d) measure the quantity of water supplied to, or the quality and quantity of sewage discharged from, premises, and
 - (e) inspect any pre-treatment devices connected to the Council's sewerage system.
- (2) The occupier of the relevant premises must provide to the Council such information as it requires to enable it to estimate the quantity of water actually supplied to, or the quality and quantity of sewage actually discharged from, the premises.
- (3) In this clause,
"pre-treatment device" means any device used to reduce or eliminate contaminants in trade waste, or to alter the waste's nature, before it is discharged into a sewer.

SCHEDULE 12 – Penalty notice offences

Column 1	Column 2
Offence under Local Government Act 1993	Penalty
Section 626 (3)-carry out without prior approval of Council an activity specified in item 4 of Part C (Management of waste) of the Table to section 68	\$330
Section 627 (3)-having obtained the Council's approval to the carrying out of an activity specified in item 4 of Part C (Management of waste) of the Table to section 68 , carry out the activity otherwise than in accordance with the terms of that approval	\$330

"Liquid Trade Waste Management Guidelines" means the Guidelines of that name produced by the Department of Energy, Utilities and Sustainability in March 2005, as in force from time to time. The 2005 Guidelines have now been superseded by *Liquid Trade Waste Regulation Guidelines, April 2009*.

Authorisation:

Status	Committee	N/A	
		N/A	
Owner	Director Infrastructure and Engineering Services		
EDRMS Doc. ID	398794		
Superseded Policy			
Date of Adoption/ Amendment	Revision Number	Minute Number	Review Date
	1		2022

Related Council Policy / Procedure

[Back to Report](#)